

MP attributes backends **bit32** blobs boolean
buffers builders caches **callback** callbacks
catcodes characters chemistry commands
containers context converters **coroutine**
ctxrunner **debug** dir dircodes directives
document documentdata drivers environment
experiments ffi figures **file fio** floats **font**
fonts functions global graphics **gzip** images
img interactions interfaces **io** job **lang**
languages layouts **lfs** libraries lmx logs lpdf
lpeg lua luatex lxml **math** mathematics **md5**
metapost **mime** moduledata modules mp **mplib**
noads **node** nodes number objects **os package**
pagebuilders parametersets **pdf** pdfc pdfscanner
physics publications regimes resolvers sandbox
scripts set sha2 sio **socket** sorters statistics
status storage streams **string** structures **table**
tex texconditionals **texconfig** texconstants
texifs **texio** texisdefined texmodes
texsystemmodes thirddata **token** tokens tracers
trackers typesetters updaters url userdata
utf8 utilities vf visualizers xml **zip zlib**

ConTEXT MkIV

global (alias: _G)

CONTEXTLMTXMODE	number	document	table
FFISUPPORTED	function	documentdata	table
INITEXMODE	boolean	dofile	function
LUAMAJORVERSION	number	drivers	table
LUAMINORVERSION	number	environment	table
LUATEXCOREVERSION	number	error	function
LUATEXENGINE	string	experiments	table
LUATEXFUNCTIONALITY	number	ffi	table
LUATEXVERSION	number	ffilib	function
LUAVERSION	number	figures	table
MP	function	file	table
anywhere	function	fio	table
arg	table	floats	table
assert	function	font	table
attributes	table	fonts	table
backends	table	frozen	boolean
bit32	table	functions	table
blobs	table	getmetatable	function
blockrequire	function	global	table
boolean	table	grammar_parsed_text_one_nop	userdata
buffers	table	grammar_parsed_text_one_yes	userdata
builders	table	grammar_parsed_text_two_nop	userdata
caches	table	grammar_parsed_text_two_yes	userdata
callback	table	grammar_unparsed_text_nop	userdata
callbacks	table	grammar_unparsed_text_yes	userdata
catcodes	table	graphics	table
characters	table	gregorian_to_jalali	function
checkimage	function	gzip	table
chemistry	table	images	table
collectgarbage	function	img	table
commands	table	inspect	function
containers	table	interactions	table
context	function	interfaces	table
converters	table	io	table
coroutine	table	ipairs	function
ctxrunner	table	jalali_to_gregorian	function
debug	table	job	table
dimen	function	lang	table
dir	table	languages	table
dircodes	data table	layouts	table
directives	table	lfs	table

libraries	table	readarray	function
lmx	table	regimes	table
load	function	require	function
loadfile	function	required	function
loadstring	function	requireswiglib	function
logs	table	resolvers	table
lpdf	table	ruledspace	function
lpeg	table	sandbox	table
lua	table	scripts	table
luatex	table	select	function
lxml	table	set	table
math	table	setinspector	function
mathematics	table	setmetatable	function
md5	table	sha2	table
metapost	table	sio	table
mime	table	socket	table
module	function	sorters	table
moduledata	table	statistics	table
modules	table	status	table
mp	function	storage	table
mplib	table	streams	table
next	function	string	table
noads	table	structures	table
node	table	swiglib	function
nodes	table	table	table
number	table	tex	table
objects	table	texconditionals	data table
optionalrequire	function	texconfig	table
os	table	texconstants	data table
package	table	texifs	data table
pagebuilders	table	texio	table
pairs	function	texisdefined	data table
parametersets	table	texmodes	data table
pcall	function	texsystemmodes	data table
pdf	table	thirddata	table
pdfe	table	toboolean	function
pdfscanner	table	token	table
physics	table	tokens	table
print	function	tonumber	function
publications	table	tostring	function
rawequal	function	tracers	table
rawget	function	trackers	table
rawlen	function	type	function
rawset	function	typesetters	table

unpack	function	v	string
updaters	table	vf	table
url	table	visualizers	table
userdata	table	xml	table
utf	table	xpcall	function
utf8	table	zip	table
utilities	table	zlib	table

attributes (context)

applyoverloads function

colorintents table

N attribute

D data

F enable

F handler

F register

D registered

colors table

N attribute

F cmyk

F cmyktogray

F cmyktorgb

F colorcomponents

D counts

B couple

F currentmodel

F currentnamedmodel

D data

N default

F defineintermediatecolor

F definemultitonecolor

F defineprocesscolor

F definesimplegray

F definespotcolor

F definetransparency

F enable

F filter

N forced

F forcedmodel

F forcesupport

F formatcolor

F formatgray

F getpagecolormodel

F gray

F graytohsv

F handler

F hsvtorgb

F iccprofile

F isblack

N main

S model

D models

F mpcolor

F mpnamedcolor

F mpoptions

F namedcolorattributes

N none

F popset

F processcolorcomponents

F pushset

F register

D registered

F registerspotcolor

F rgb

F rgbtocmyk

F rgbtorgb

F rgbtohsv

N selector

F setlist

F setmodel

F setpagecolormodel

D sets

F spec

F spot

F spotcolorname

F spotcolorparent

F spotcolorvalue

B supported

F toattributes

F transparencycomponents

B triggering

F usecolors

D valid

F value

D values

B weightgray

define function

effects table

N attribute

D data

F enable		N colordodge	
F handler		N darken	
F register		N difference	
D registered		N exclusion	
D values		N hardlight	
handlers	table	N hue	
list	data table	N lighten	
markasoverload	function	N luminosity	
names	data table	N multiply	
negatives	table	N none	
N attribute		N normal	
D data		N overlay	
F enable		N saturation	
F handler		N screen	
F register		N softlight	
D registered		N none	
F set		F register	
numbers	data table	D registered	
ofnode	function	B supported	
private	function	F toattribute	
public	function	B triggering	
restore	function	F value	
save	function	D values	
showcurrent	function	unsetvalue	number
states	table	viewerlayers	table
F disabletriggering		N attribute	
F enabletriggering		F cleanup	
F finalize		D data	
F initialize		F define	
F process		F definedlayoutcomponent	
F selective		F enable	
F stacked		F forcesupport	
F stacker		F handler	
system	function	B hasorder	
tooverloads	function	D listwise	
transparencies	table	F register	
N attribute		D registered	
D data		F resolve_begin	
F enable		F resolve_end	
F forcesupport		F resolve_reset	
F handler		F resolve_step	
T names		D scopes	
N color		F setfeatures	
N colorburn		F start	

F stop

D values

B supported

backends (context)

codeinjections table

- F boxresourcedimensions
- F registerboxresource
- F restoreboxresource

current string

defaults table

- T codeinjections
- F getpagedimensions
- F lmtxmode
- F setpagedimensions
- T nodeinjections
- T registrations
- D tables

included table

- B context
- B date
- B id
- B metadata
- B pdf

install function

nodeinjections table

noflatelua function

nothing function

pdf table

- T codeinjections
- F addbookmarks
- F analyzenormalsymbol
- F analyzesymbol
- F attachmentid
- F clonefield
- F definefield
- F definefieldset
- F defineviewerlayer
- F embedfile
- F enabletags
- F exportformdata
- F fieldsurrounding
- F flushmergelayer
- F getbookmarks
- F getdefaultfieldvalue
- F getfieldcategory

- F getfieldset
- F getformatoption
- F getinfo
- F getpreviewfigure
- F insertrenderingwindow
- F mergebookmarks
- F mergecomments
- F mergefields
- F mergereferences
- F mergeviewerlayers
- F prerollreference
- F presetsymbol
- F presetsymbollist
- F print
- F processrendering
- F registerdocumentcloseaction
- F registerdocumentopenaction
- F registeredsymbol
- F registerpagecloseaction
- F registerpageopenaction
- F registersymbol
- F setfieldcalculationset
- F setfigurealternative
- F setfigurecolorspace
- F setfiguremask
- F setformat
- F setformsmethod
- F setpagetransition
- F setupcanvas
- F setupidentity
- F setxmpfile
- F startlayer
- F startunicodetoactualtext
- F startunicodetoactualtextdirect
- F stoplayer
- F stopunicodetoactualtext
- F stopunicodetoactualtextdirect
- F supportedformats
- F unicodetoactualtext
- F useviewerlayer
- F validfield

F validfieldcategory	F rgbcolor
F validfieldset	F spotcolor
S comment	F startlayer
T nodeinjections	F startstackedlayer
F addtags	F stoplayer
F annotation	F stopstackedlayer
F attachfile	F transparency
F changestackedlayer	F typesetfield
F cmykcolor	T registrations
F comment	F cmykindexcolor
F destination	F cmykspotcolor
F effect	F getspotcolorreference
F graycolor	F grayindexcolor
F injectbitmap	F grayspotcolor
F insertmovie	F rgbindexcolor
F insertsound	F rgbspotcolor
F insertswf	F spotcolorname
F insertu3d	F transparency
F knockout	T tables
F negative	D vfspecials
F overprint	registrations table
F positive	tables table
F reference	timestamp function

bit32 (basic lua)

arshift function
band function
bnot function
bor function
btest function
bxor function

extract function
lrotate function
lshift function
replace function
rrotate function
rshift function

blobs (context)

append	function
dimensions	function
dispose	function
new	function
pack	function
strdp	function
strhd	function

strht	function
strwd	function
tohpack	function
tonodes	function
tovpack	function
write	function

boolean (context)

tocontext function

tonumber function

buffers (context)

append	function	F define	
assign	function	F hassomecontent	
collectcontent	function	F next	
erase	function	F place	
exists	function	F reset	
get	function	F save	
getcontent	function		prepend function
getline	function		raw function
gettexbuffer	function		run function
loadcontent	function		samplefile function
parallel	table		undent function

builders (context)

checksidefloat function

kernel table

F hyphenating
F hyphenation
F kerning
F ligaturing
F mlist_to_hlist

paragraphs table

T constructors
N attribute
F define
F disable
F enable
F handler
T methods
F basic
F default
F hpack
F oneline
D names
D numbers
F set
F start
F stop
T expansion
F trace
F kepttogether
F registertogether
T solutions
T splitters
F define
F optimize
T registered
F reset
F set

F split

F start

F stop

F tag

profiling table

F add
F distance
F fixedprofile
F get
F list
F pagehandler
F profilebox
F set

vspacing table

F analyze
D categories
F collapsevbox
T data
D map
D skip
D snapmethods
F definesnapmethod
B fixed
F forcepageflush
F forcestrutdepth
F getnofpreviouslines
F pagehandler
F pageoverflow
F setmap
F setskip
F snapbox
F synchronizepage
F tocategories
F tocategory
F vboxhandler

cached (context)

ask	boolean	is_writable	function
base	string	loadcontent	function
collapsecontent	function	loaddata	function
configfiles	function	more	string
contentstate	function	relocate	boolean
defaults	table	savecontent	function
define	function	savedata	function
direct	boolean	setfirstwritablefile	function
force	boolean	setluanames	function
getfirstreadablefile	function	tree	string
getreadablepaths	function	treehash	function
getwritablepath	function	usedpaths	function
hashed	function		

callback (basic tex)

find function
list function

register overloaded function

callbacks (context)

freeze function

functions table

F process_rule

F start_page_number

F stop_page_number

known function

list data table

pop function

push function

register function

report function

supported table

B append_to_vlist_filter

B build_page_insert

B buildpage_filter

B call_edit

B contribute_filter

B define_font

B find_cidmap_file

B find_data_file

B find_enc_file

B find_font_file

B find_format_file

B find_image_file

B find_map_file

B find_opentype_file

B find_output_file

B find_pk_file

B find_read_file

B find_truetype_file

B find_type1_file

B find_vf_file

B find_write_file

B finish_pdffile

B finish_pdfpage

B finish_synctex

B font_descriptor_objnum_provider

B glyph_not_found

B glyph_stream_provider

B hpack_filter

B hpack_quality

B hyphenate

B insert_local_par

B kerning

B ligaturing

B linebreak_filter

B make_extensible

B mlist_to_hlist

B new_graf

B open_read_file

B page_objnum_provider

B post_linebreak_filter

B pre_dump

B pre_linebreak_filter

B pre_output_filter

B process_input_buffer

B process_jobname

B process_output_buffer

B process_pdf_image_content

B process_rule

B read_cidmap_file

B read_data_file

B read_enc_file

B read_font_file

B read_map_file

B read_opentype_file

B read_pk_file

B read_truetype_file

B read_type1_file

B read_vf_file

B show_error_hook

B show_error_message

B show_lua_error_hook

B show_warning_message

B start_file

B start_page_number

B start_run

B stop_file

B stop_page_number

B stop_run

B vpack_filter

B vpack_quality

B wrapup_run

catcodes (context)

names data table
numbers data table

register function

characters (context)

activeoffset	number	T anudatta
adobename	function	T before_half
bidirectional	data table	T before_main
blockrange	function	T before_postscript
blocks	data table	T before_subscript
casemap	table	T below_mark
categories	data table	T consonant
category	function	T dependent_vowel
categorytags	data table	T halant
classifiers	table	T independent_vowel
collapsed	data table	T nukta
contextname	function	T post_mark
csletters	data table	T pre_mark
data	data table	T ra
decomposed	data table	T stress_tone_mark
description	function	T twopart_mark
descriptions	data table	T vowel_modifier
detailtags	data table	initialize function
directions	table	is_character data table
emoji	table	is_command data table
F compact		is_letter data table
F known		is_mark data table
F resolve		is_punctuation data table
emojized	function	is_spacing data table
encodes	data table	is_symbol data table
entities	data table	lcchars data table
fallbacks	data table	lccode function
filters	data table	lccodes data table
fractions	table	lettered function
fromnumber	function	lhash data table
fschars	data table	linebreaks data table
fscodes	data table	lower function
getrange	function	mathlists data table
graphemes	data table	mirrors table
hangul	data table	otfscripts data table
indicgroups	table	private table
T above_mark		ranges data table
T after_half		registerentities function
T after_main		remap_hangul_syllable function
T after_postscript		setactivecatcodes function
T after_subscript		setlettercatcodes function

shape	function	D accentmapping	
shaped	function	D commandmapping	
shash	data table	F defineaccents	
shchars	data table	F safechar	
shcodes	data table	F toutf	
showstring	function	F toutfpattern	
specialchars	data table	textclasses	table
specials	data table	tonumber	function
splits	table	ucchars	data table
T char		uccode	function
T compat		uccodes	data table
subscripts	table	uhash	data table
superscripts	table	unicodechar	function
synonyms	data table	upper	function
tex	table		

chemistry (context)

component	function
define	function
definitions	data table
format	string
inlinechemical	function
instance	string
method	string

molecule	function
moleculeparser	userdata
start	function
stop	function
structures	number
undefine	function

containers (context)

cleanname function
content function
define function
is_usable function

is_valid function
read function
usecache boolean
write function

converters (context)

A	function	cn-c	function
A:es	function	convert	function
A:ru	function	decimals	function
A:sl	function	define	function
AK	function	helpers	table
Alphabetic	function	hexstringtonumber	function
Alphabetic:es	function	hour	function
Alphabetic:ru	function	i	function
Alphabetic:sl	function	isleapyear	function
Character	function	lchexnumber	function
Characters	function	lchexnumbers	function
I	function	leapyear	function
KA	function	lower	function
KR	function	max	function
R	function	maxchrs	function
RK	function	minute	function
Romannumerals	function	month	function
Russiannumerals	function	nicenumber	function
Sloveniannumerals	function	nofdays	function
Spanishnumerals	function	number	function
Word	function	numbers	function
Words	function	octnumber	function
a	function	octstringtonumber	function
a:es	function	ordinal	function
a:ru	function	r	function
a:sl	function	rawcharacter	function
abjadnodotnumerals	function	romannumerals	function
abjadnumerals	function	russiannumerals	function
alphabetic	function	second	function
alphabetic:es	function	sequences	data table
alphabetic:ru	function	settime	function
alphabetic:sl	function	sloveniannumerals	function
character	function	spaceddigits	function
characters	function	spanishnumerals	function
chineseallnumerals	function	textime	function
chinesecapnumerals	function	toabjad	function
chinesenumerals	function	tochinese	function
chr	function	toroman	function
chrs	function	totime	function
cn	function	uchexnumber	function
cn-a	function	uchexnumbers	function

upper
verbose
D data
F translate

function
table

weekday
word
words
year

function
function
function
function

coroutine (basic lua)

create function
isyieldable function
resume function
running function

status function
wrap function
yield function

ctxrunner (context)

load function
preparedfile function

prepfileresolve data table
resolve function

dir (context)

collectpattern	function
current	function
expandname	function
found	function
glob	function
globdirs	function
globfiles	function

globpattern	function
ls	function
makedirs	function
mkdirs	function
pop	function
push	function

directives (context)

data	data table
default	function
disable	function
done	table
enable	function
list	function

name	string
register	function
report	function
reset	function
show	function
value	function

document (context)

arguments	data table		
files	table		
functions	table		
getargument	function		
getfilename	function		
options	table		
T commandline			
D environments			
D modes			
D modules			
T ctxfile			
D environments			
		D modes	
		D modules	
		setargument	function
		setcommandline	function
		setdefaultargument	function
		setenvironments	function
		setfilename	function
		setfilenames	function
		setmodes	function
		setmodules	function
		variables	data table

documentdata (context)

variable function

drivers (context)

convert	function	T actions
enable	function	F convert
helpers	table	F outputfilename
F tomatrix		T flushers
install	function	S name
instances	table	lmtxversion number
T default		outputfilename function

environment (context)

argument	function	loadluafile	function
arguments	data table	luafile	function
basicengines	data table	luafilechunk	function
currentrun	number	luatexengine	string
default_texmfcnf	string	luatexfunctionality	number
definefilefallback	function	luatexversion	number
definefilesynonym	function	maxnofruns	number
engineflags	data table	originalarguments	data table
filename	string	outputfilename	string
filenames	table	ownbin	string
files	table	ownmain	string
filesynonyms	data table	ownname	string
forcedruns	number	ownpath	string
getargument	function	prerollrun	boolean
homedir	string	rawarguments	data table
initex	boolean	reconstructcommandline	function
initexmode	boolean	relativepath	function
initializearguments	function	setargument	function
initializefilenames	function	splitarguments	function
inputfilebarename	string	suffix	string
inputfilename	string	texfile	function
inputfilesuffix	string	texmfos	string
jobfilefullname	string	texos	string
jobfilename	string	texroot	string
jobfilesuffix	string	truefilename	function
jobname	string	uselua module	function
kindofrun	number	usemodules	function
lmtxmode	number	validengines	data table
loadexamodes	function	version	string

experiments (context)

data	data table
default	function
disable	function
enable	function
list	function
name	string

register	function
report	function
reset	function
show	function
value	function

figures (context)

applyratio	function	F write	
badname	function	F check	
bases	data table	F checksize	
bitmapimage	function	F copy	
boxnumber	number	F create	
cachepaths	data table	F embed	
check	function	T keys	
checkers	data table	F print	
converters	data table	F scan	
current	function	F serialize	
defaultdepth	number	T sizes	
defaultheight	number	B art	
defaultsearch	boolean	B bleed	
defaultwidth	number	B crop	
done	function	B media	
dummy	function	B none	
exists	data table	B trim	
exists	function	F totable	
formats	data table	T types	
found	data table	N jbig2	
get	function	N jp2	
getinfo	function	N jpg	
getpdfinfo	function	N memstream	
getrealpage	function	N none	
guess	function	N pdf	
guessfromstring	function	N png	
hash	function	N stream	
identifiers	data table	F wrap	
identify	function		include function
images	table		includers data table
T __img__			initialize function
F boxes			loaded data table
F copy			localpaths data table
F fields			magics data table
F immediatewrite			mergegoodies function
F immediatewriteobject			nofmissing number
F keys			nofprocessed number
F new			order data table
F node			paths data table
F scan			patterns data table
F types			pop function

preferquality	boolean	setlookups	function
programs	data table	setmemstream	function
push	function	setorder	function
registerpattern	function	setpaths	function
registerresource	function	suffixes	data table
registersuffix	function	used	data table
resources	data table		
scale	function		
set	function		

file (basic lua)

addsuffix	function	needsupdating	function
basename	function	pathpart	function
checksum	function	readdata	function
collapsepath	function	removesuffix	function
copy	function	replacesuffix	function
dirname	function	reslash	function
expandname	function	robustname	function
extname	function	savechecksum	function
is_qualified_path	function	savedata	function
is_readable	function	size	function
is_rootbased_path	function	splitbase	function
is_writable	function	splitname	function
isreadable	function	splitpath	function
iswritable	function	strip	function
join	function	suffix	function
joinpath	function	suffixes	function
loadchecksum	function	suffixesonly	function
nameonly	function	suffixonly	function
nametotable	function	syncmtimes	function
needs Updating	function	withinbase	function

fio (extra lua)

checkpermission function
getposition function
read2dot14 function
readbytes function
readbytetable function
readcardinal1 function
readcardinal2 function
readcardinal3 function
readcardinal4 function
readcardinaltable function
readfixed2 function

readfixed4 function
readinteger1 function
readinteger2 function
readinteger3 function
readinteger4 function
readintegertable function
readline function
recordfilename function
setposition function
skipposition function

floats (context)

analysemethod	function
checkedpagefloat	function
collect	function
consult	function
flush	function
getvariable	function
hasstacked	function

nofstacked	function
pop	function
push	function
resave	function
save	function
stacked	function

font (basic tex)

addcharacters	function	id	function
current	function	max	function
define	function	nextid	function
each	overloaded function	originaleach	function
fonts	table	read_tfm	function
frozen	function	read_vf	function
getfont	overloaded function	setexpansion	function
getparameters	function	setfont	function

fonts (context)

analyzers table

- D features
- D initializers
- D methods
- F setstate
- D states
- B useunicodemarks

checkers table

- F getmissing
- F missing
- F placeholder

cid table

- F getmap
- F loadfile

collections table

- F checkenabled
- F clonevector
- F define
- T definitions
- F found
- F prepare
- F process
- F registermain
- F report
- F reset
- T vectors

constructors table

- F addcharacters
- F addcoreunicodes
- B addtounicode
- F aftercopyingcharacters
- F applymanipulators
- F assignmathparameters
- B autocleanup
- F beforecopyingcharacters
- D cache
- B cacheintex
- F calculatyscale
- F checkedfeatures
- F checkedfilename
- F cleanupable

- F collectprocessors
- F currentfonthasfeature
- D designsizes
- D dontembed
- F enhanceparameters
- T enhancers
- T afm
 - F apply
 - F patch
- T patches
 - F register
 - F report
- F register
- F report
- T otf
 - F addfeature
 - F apply
 - F enhance
 - F patch
- T patches
 - F register
 - F report
- F register
- F report
- T tfm
 - F apply
 - F patch
- T patches
 - F register
 - F report
- F register
- F report
- N factor
- T features
 - D afm
 - D otf
 - D tfm
- F finalize
- F getfeatureaction
- F getmathparameter
- F getprivate

T handlers

T afm

- B autoprefixed
- D cache
- D features
- F getkern
- T helpdata
 - D bothkerned
 - D leftkerned
 - D ligatures
 - D rightkerned
 - D texligatures
- F load
- T readers
 - F getinfo
 - F loadfont
 - F loadshapes
- F setfeatures
- B syncspace
- N version

T otf

- F addfeature
- F basemodeinitializer
- D cache
- F collectlookups
- T coverup
 - T actions
 - F alternate
 - F chainposition
 - F chainsubstitution
 - F kern
 - F ligature
 - F multiple
 - F pair
 - F single
 - F substitution
 - F register
 - S stepkey
- F dataset
- F datasetpositionprocessor
- S defaultbasealternate
- S defaultnodealternate
- D features
- F featuresinitializer

F featuresprocessor

- F getactualtext
- F getalternate
- F getgsub
- F getkern
- F getmultiple
- F getstreamhash
- F getsubstitution
- T handlers
 - F devanagari_remove_joiners
 - F devanagari_reorder_matras
 - F devanagari_reorder_pre_base_reordering_consonants
 - F devanagari_reorder_reph
- F gpos_context
- F gpos_contextchain
- F gpos_cursive
- F gpos_mark2base
- F gpos_mark2ligature
- F gpos_mark2mark
- F gpos_pair
- F gpos_single
- F gsub_alternate
- F gsub_context
- F gsub_contextchain
- F gsub_ligature
- F gsub_multiple
- F gsub_reversecontextchain
- F gsub_single
- F trigger_space_kerns
- T helpers
 - F blockligatures
 - F pardirstate
 - F txtfirststate
- F load
- F loadoutlinedata
- F loadstreamdata
- F modeinitializer
- D pdfcache
- F plugininitializer
- F pluginprocessor
- T plugins
- T png
 - F topdf
- D pngcache

B pngenabled	F reversechainedcontextsingl
T readers	F single
F addunicodetable	F gvar
F avar	F head
F cbdt	T helpers
F cblc	F axistofactors
F cff	F cleannam
F cff2	F getaxisscal
F cffcheck	F getfactors
T cffencoder	F getscales
F checkhash	F gotodatatable
F cmap	F normalizedaxis
F colr	T normalizedaxishash
F compact	F readvariationdata
F cpal	F reportskippedtable
F ebdt	F setvariabledata
F eblc	F hhea
F ebsc	F hmtx
F expand	F hvar
F extend	F kern
F fvar	F loadfont
F gdef	F loadshapes
F getcomponents	F loca
F getinfo	F math
F glyf	F maxp
F gpos	F mvar
T gposhandlers	F name
F chainedcontext	F os/2
F context	F pack
F cursive	F parsecharstrings
F extension	F post
F marktobase	F registerextender
F marktligature	F rehash
F marktmark	F sbix
F pair	F stat
F single	T streamreader
F gsub	F close
T gsubhandlers	F getposition
F alternate	F getsize
F chainedcontext	F look
F context	F open
F extension	F read2dot14
F ligature	F readbyte
F multiple	F readbytes

F readbytetable	F vorg
F readcardinal	F vvar
F readcardinal1	F woff2otf
F readcardinal2	F registerpalette
F readcardinal2le	F registerplugin
F readcardinal3	F reorderlookups
F readcardinal3le	F scriptandlanguage
F readcardinal4	F setdynamics
F readcardinal4le	F setfeatures
F readcardinaltable	T statistics
F readchar	D usedfeatures
F readfixed2	F storepdfdata
F readfixed4	T svg
F readinteger	F filterglyph
F readinteger1	F topdf
F readinteger2	D svgcache
F readinteger2le	B svgenabled
F readinteger3	T tables
F readinteger3le	D baselines
F readinteger4	D features
F readinteger4le	D featuretypes
F readintegertable	D languages
F readsignedbyte	D scripts
F readstring	N version
F readtag	T pfb
F setposition	F loadvector
F size	T tfm
F skip	F addtounicode
F skiplong	D cache
F skipposition	D features
F skipshort	N maxnestingdepth
F writebyte	N maxnestingsize
F writecardinal2	T readers
F writecardinal2le	F loadpk
F writecardinal4	F loadtfm
F writecardinal4le	F loadtfmvf
F writestring	F loadvf
F stripredundant	F pktopdf
F svg	F showpk
N tableversion	F reencode
F unifymissing	F setfeatures
F unpack	N version
F vhea	T vfb
F vmtx	T combinations

F combine	S width
T combiner	S units
D commands	S vfactor
D helpers	S width
D math	S xheight
D predefined	T properties
N version	S autoitalicamount
D whatever	S cidinfo
F hashfeatures	T effect
F hashinstance	S ddelta
T hashmethods	S effect
F normal	S factor
F virtual	S hdelta
F initializefeatures	S hfactor
T keys	S vfactor
T characters	S wdelta
T descriptions	S width
T parameters	S embedding
S ascender	S encodingbytes
S descender	S filename
S designsize	S finalized
T expansion	S fontname
S auto	S format
S shrink	S fullname
S step	S hasitalics
S stretch	S hasmath
S extendfactor	S mathitalics
S factor	S mode
S hfactor	S name
S mathsize	S nostackmath
S mode	S psname
T protrusion	S textitalics
S auto	S virtualized
S quad	D loadedfonts
S scaledpoints	S namemode
S scriptpercentage	N noffontsloaded
S scriptscriptpercentage	N nofsharedfonts
S size	N nofsharedhashes
S slantfactor	N nofsharedvectors
S slantperpoint	N privateoffset
T spacing	D privateslots
S extra	F readanddefine
S shrink	F registerfeature
S stretch	F resetfeature

B resolvevirtualtoo
 F scale
 F scaled
 F setfactor
 F setfeature
 F setmathparameter
 F setname
 B sharefonts
 F trytosharefont
 N version

current function
currentid function
definers table

F addlookup
 F analyze
 F applypostprocessors
 F checkedmode
 F checkedscript
 F current
 S defaultlookup
 F define
 F getspecification
 F internal
 F loadfont
 F makespecification
 T methods
 F install
 D variants
 F read
 F register
 F registered
 F registersplit
 F resetnullfont
 F resolve
 T resolvers
 F file
 F name
 F spec

definetypeface function
encodings table

T agl
 D ctxcodes
 D extras
 D names

D synonyms
 D unicodes
 D cache
 F is_known
 D known
 F load
 F make_unicode_vector
 D math
 N version

enhanceid function
expansions data table
formats data table
getalternate function
getkern function
getmultiple function
getsubstitution function
getters table

T alternate
 F opentype
 T kern
 F opentype
 F type1
 F type3
 T multiple
 F opentype
 T substitution
 F opentype

goodies table

D colorschemes
 T data
 T dejavu-math
 S author
 S comment
 S copyright
 B initialized
 T mathematics
 T alternates
 T dotless
 S comment
 S feature
 N value
 T kerns
 S name
 S version

- T schola-math
- S author
- S comment
- S copyright
- B initialized
- T mathematics
 - T alternates
 - T dotless
 - S comment
 - S feature
 - N value
 - T kerns
 - S name
 - S version
- D designsizes
- D filenames
- F getcompositions
- T list
- F load
- F prepare_features
- F register
- F registerpostprocessor
- F report
- T suffixes

handlers table
hashes table

- D characters
- D classes
- D csnames
- D descriptions
- D dynamics
- D emwidths
- D exheights
- D extensibles
- D features
- D identifiers
- D italics
- D lastmathids
- D marks
- D mathparameters
- D modes
- D originals
- D parameters
- T processes

- D properties
- D quads
- D resources
- T setdynamics
- T shapes
- D spaces
- D spacings
- T streams
- D unicodes
- D variants
- D xheights

helpers table

- F addextraprivate
- F addprivate
- F appendcommands
- F appendcommandtable
- F checkflags
- F checkmerge
- F checksteps
- F collectanchors
- D commands
- F descriptiontoslot
- F dimenfactor
- F expandglyph
- T extraprivates
- F fontpatternhassize
- F getcoloredglyphs
- F getdigitwidth
- F getinstancespec
- F getparameters
- F getprivatecharornode
- F getprivatenode
- F getprivates
- F getprivateslot
- F hasprivate
- F indextoslot
- F name
- F nametoslot
- F prependcommands
- F prependcommandtable
- F privateslot
- F setdigitwidth
- F splitfontpattern
- F tochar

infofont	function	N textbase	
iterators	table	N textextrabase	
F characters		protrusions	data table
F descriptions		readers	table
F glyphs		F afm	
loggers	table	F check_lua	
F add_placeholders		F check_tfm	
D category_to_placeholder		F lua	
F format		F ofm	
F onetimemessage		F opentype	
F register		F otf	
F reportdefinedfonts		F pfb	
F reportusedfeatures		D sequence	
mappings	table	F tfm	
F addtounicode		F ttc	
F fromunicode16		F ttf	
F loadfile		F woff	
F loadline		reserveid	function
F makenameparser		select	table
D overloads		D alternatives	
F reset		F bodyfont	
F tounicode		D data	
F tounicode16		F default	
F tounicode16sequence		D defaults	
metapost	table	F definefallbackfamily	
F boundingbox		F definefontfamily	
F boxtomp		F definefontfamilypreset	
F draw		D extras	
F fill		F fallback	
F maxbounds		D fallbacks	
F output		F features	
F paths		F filefallback	
F widthline		F fontdata	
F zeroline		F fontfallback	
mp	table	F fontsynonym	
D cache		F goodies	
B inline		F mathfallback	
N version		D methods	
names	data table	D presets	
nulldata	data table	F registerfallback	
privateoffsets	table	F registerfiles	
B keepnames		F registerfontalternative	
N mathbase		F registerfontfamily	
N mathextrabase		F textfallback	

F typeface
F typescript
F userdata

specifiers table

D contextmerged
F contextnumber
D contextnumbers
D contextsetups
F contexttostring
F definecontext
F mergecontext
F presetcontext
F registercontext
F showcontext
F splitcontext
D synonyms
D variants

symbols table

T emoji
F checked
F resolved
F uselibrary

tables table

D data
F savefont
F saveoriginal

tracers table

treatments table

F applyfixes
D data
S filename
F ignoredfile
F report
F trace

typefaces table

functions (context)

dummy function

graphics (context)

backgrounds table

F fetchmultipar

F pair

F path

F point

gzip (extra lua)

close function
lines function
load function

open function
save function
suffix function

images (context)

img table
F boxes
F copy
F fields
F immediatewrite
F immediatewriteobject
F keys
F new
F node
F scan
F types
F write
check function
checksize function
copy function
create function
embed function
keys table
print function
scan function

serialize function
sizes table
B art
B bleed
B crop
B media
B none
B trim
totable function
types table
N jbig2
N jp2
N jpg
N memstream
N none
N pdf
N png
N stream
wrap function

img (basic tex)

boxes	overloaded function	new	overloaded function
copy	overloaded function	node	overloaded function
fields	overloaded function	scan	overloaded function
immediatewrite	overloaded function	types	overloaded function
immediatewriteobject	overloaded function	write	overloaded function

interactions (context)

attachments data table

fields table

F clone

F define

F defineset

F insert

general table

F getidentity

F setupidentity

help table

F collect

F reference

F register

javascripts table

F addtopreamble

F code

D codes

F flushpreambles

D functions

D preambles

F setpreamble

F storecode

F storepreamble

F usepreamblenow

F usescripts

linkedList data table

pages table

F setpagetransition

F setupcanvas

references table

F setclosedocument

F setclosepage

F setopendocument

F setopenpage

renderings data table

soundclips data table

interfaces (context)

_	data table	F list	
addvalidkeys	function	registernamespace	function
cachedsetups	data table	registerscanner	function
cachedsetup	function	scanners	data table
checkedspecification	function	setconstant	function
complete	data table	setcount	function
constants	data table	setdimen	function
corenamespaces	data table	setelement	function
currentinterface	string	setformat	function
currentresponse	string	setmacro	function
definecommand	function	setmessage	function
defined	function	setmessages	function
doifelsemessage	function	settranslation	function
elements	data table	setupstrings	data table
formats	data table	setuserinterface	function
getcheckedparameters	function	setvalidkeys	function
getmessage	function	setvariable	function
getnamespace	function	showmessage	function
getsetupstring	function	storedscanners	data table
hashedsetups	data table	strings	table
implement	function	syntax	data table
interfacedcommand	function	tolist	function
interfaces	table	translations	data table
invalidkey	function	usednamespaces	data table
message	function	variables	data table
namespaces	table	writestatus	function

F define

io (basic lua)

ask	function	pathseparator	string
bytes	function	popen	overloaded function
characters	function	read	function
close	function	readall	function
copydata	function	readnumber	function
exists	function	readstring	function
fileseparator	string	saved_lines	function
flush	function	savedata	function
input	overloaded function	size	function
lines	overloaded function	stderr	userdata
loadchunk	function	stdin	userdata
loaddata	function	stdout	userdata
loadlines	function	tmpfile	function
noflines	function	type	function
open	overloaded function	write	function
output	overloaded function		

job (context)

comment	function	D tobesaved	
datasets	table	passes	table
D collected		F check	
F extend		D collected	
F getdata		F count	
F setdata		F define	
D tobesaved		F find	
disablesave	function	F first	
embedded	table	F get	
D collected		F getcollected	
D tobesaved		F getdata	
fileobjreferences	table	F getfield	
D collected		F gettobesaved	
D tobesaved		F inlist	
files	table	F last	
D collected		F list	
F context		F save	
B forcerun		F savetagged	
F run		D tobesaved	
D tobesaved		positions	table
getrandomseed	function	F b_column	
initialize	function	F b_region	
load	function	F c	
loadother	function	D collected	
objects	table	F column	
D collected		F copy	
F get		F depth	
F number		F e_column	
F page		F e_region	
F save		F enhance	
F set		F extra	
D tobesaved		T free	
pack	boolean	F get	
packversion	number	F gethpos	
pagestates	table	F getpos	
D collected		F getreserved	
F countervalue		F gettobesaved	
F extend		F getvpos	
F realpage		F hangafter	
F realpageorder		F hangindent	
F setstate		F height	

F hsize	F whd	
F leftskip	F width	
F lowerleft	F x	
F lowerright	F xy	
F markregionbox	F y	
F n	prepare	function
F onsamepage	register	function
F overlapping	save	function
F p	structure	table
T page	D collected	
F paragraph	T components	
F parindent	T tobesaved	
F position	T branches	
F r	S name	
F region	S type	
F registerhandlers	variables	table
F replace	D checksums	
F rightskip	D collected	
F set	F getchecksum	
F setall	F makechecksum	
F setregionbox	F restore	
F setspec	F save	
D tobesaved	F setchecksum	
F upperleft	D tobesaved	
F upperright	version	number
S used		

lang (basic tex)

clean function
clear_hyphenation function
clear_patterns function
exceptions function
gethjcode function
hyphenate function
hyphenation function
hyphenationmin function

id function
new function
patterns function
postexhyphenchar function
posthyphenchar function
preexhyphenchar function
prehyphenchar function
sethjcode function

languages (context)

associate	function	F registerpattern	
associated	data table	F setfeatures	
association	function	installed	function
counters	data table	labels	table
current	function	F define	
data	data table	F split	
decimals	data table	loadable	function
define	function	loadwords	function
explicitthyphen	function	logger	table
flatten	function	F report	
frequencies	table	nofflatten	function
F averagecharwidth		numbers	data table
F getdata		postexhyphenchar	function
getdata	function	posthyphenchar	function
getnumber	function	preexhyphenchar	function
hjcounts	table	prehyphenchar	function
hyphenate	function	registered	data table
hyphenators	table	replacements	table
T dictionaries		F add	
D featuresets		F addlist	
F handler		F handler	
T methods		F set	
F expanded		serializediscretionary	function
B none		setexceptions	function
F original		setsynonym	function
F tex		showdiscretionaries	function
F traditional		unload	function
F popmethod		urls	table
F pushmethod		D characters	
F setmethod		N lefthyphenmin	
F setup		D mapping	
F showhyphenationtrace		B packslashes	
T traditional		N righthyphenmin	
F definefeatures		F setcharacters	
F gettrace		version	number
F hyphenate		visualizediscretionaries	function
F injecthyphens		words	table
F installmethod		F check	
F lasttrace		T data	
F loadpatterns		F disable	
F registerexception		F enable	

T enablers

B enables

F found

F load

T methods

N threshold

layouts (context)

status table

F isleftpage

F leftorrightpageaction

lfs (extra lua)

attributes	overloaded function	mkdir	overloaded function
chdir	overloaded function	makedirs	function
currentdir	function	readlink	overloaded function
dir	overloaded function	rmdir	overloaded function
isdir	overloaded function	setmode	overloaded function
isfile	overloaded function	shortname	overloaded function
isfound	function	symlinkattributes	overloaded function
link	overloaded function	touch	overloaded function
lock	function	unlock	function
lock_dir	overloaded function		

libraries (context)

basiclua data table

basictex data table

builtin data table

extralua data table

extratex data table

functions data table

globals data table

lrx (context)

color	function	loadedfile	function
convert	function	make	function
convertfile	function	new	function
convertstring	function	overloaderror	function
einject	function	popupfile	function
eprint	function	print	function
escape	function	pv	function
finalized	function	report	function
finject	function	reset	function
fprint	function	result	function
get	function	set	function
getvariables	function	show	function
htmfile	function	showdebuginfo	function
html	table	showerror	function
F a		stripcss	function
F td		tv	function
F th		type	function
include	function	urlescape	function
inherited	table	variable	function
S color-background-four		variables	table
S color-background-one		S color-background-blue	
S color-background-three		S color-background-body	
S color-background-two		S color-background-green	
S title		S color-background-main	
initialize	function	S color-background-purple	
inject	function	S color-background-yellow	
lrxfile	function	S title-default	

logs (context)

application	function	setformats	function
categories	function	setformatters	function
direct	function	setlogfile	function
disable	function	setmessenger	function
enable	function	setprocessor	function
exporters	table	setprogram	function
extendbanner	function	settarget	function
finalactions	function	settimedlog	function
flush	function	settranslations	function
help	function	show	function
loggingerrors	function	show_close	function
messenger	function	show_load	function
new	function	show_open	function
newline	function	simple	function
poptarget	function	simpleline	function
pushtarget	function	simplelines	function
registerfinalactions	function	start_page_number	function
report	function	starterrorlogging	function
reportbanner	function	startfilelogging	function
reporter	function	status	function
reporters	table	stop_page_number	function
F banner		stoperrorlogging	function
F export		stopfilelogging	function
F help		subdirect	function
F info		subreport	function
F lines		system	function
F version		texerrormessage	function
reportline	function	writer	function
reportlines	function		

lpdf (context)

action	function	destinationsspecification	function
adddocumentcolorspace	function	dictionary	function
adddocumenttextgstate	function	docstring	function
adddocumentpattern	function	epdf	table
adddocumentshade	function	F contenttotext	
addtocatalog	function	F expanded	
addtoinfo	function	F getpagecontent	
addtonames	function	F getstructure	
addtopageattributes	function	T image	
addtopageresources	function	F close	
addtopagesattributes	function	F copy	
addxmpinfo	function	F new	
annotationsspecification	function	F open	
array	function	F query	
attachmentsymbols	function	F load	
boolean	function	F parsecontent	
border	function	F plugin	
checkedkey	function	T resolvers	
checkedvalue	function	F destinations	
circularshade	function	F embeddedfiles	
cmykcode	function	F javascripts	
collectedresources	function	F layers	
color	function	F pages	
colorspace	function	F structure	
colorspaceconstants	data table	F widgets	
colorspec	function	F stripcontent	
colorvalue	function	F unload	
colorvalues	function	escaped	function
commentssymbols	function	finalizedocument	function
compresslevel	function	finalizefonts	function
constant	function	finalizepage	function
copyarray	function	finishtransparencycode	function
copyboolean	function	flags	table
copyconstant	function	T annotations	
copydictionary	function	N AutoView	
copyfloat	function	N Hidden	
copyinteger	function	N Invisible	
copynumber	function	N Locked	
copystring	function	N LockedContents	
copyunicode	function	N NoRotate	
delayedobject	function	N NoView	

N NoZoom		getcompression	function
N Print		getfontname	function
N Printable		getfontobjnumber	function
N ReadOnly		getinfo	function
N ToggleNoView		getmetadata	function
N auto		getpageproperties	function
N hidden		getversion	function
N printable		getxformname	function
T widgets		graycode	function
N Comb		id	function
N CommitOnSelChange		immediateobj	function
N DoNotScroll		includechar	function
N DoNotSpellCheck		includecharlist	function
N Edit		includefont	function
N FileSelect		includeimage	function
N MultiLine		injectxmpinfo	function
N NoExport		insertxmpinfo	function
N NoToggleToOff		layerreference	function
N Password		limited	function
N PopUp		linearshade	function
N PushButton		literal	function
N Radio		majorversion	function
N RadiosInUnison		minorversion	function
N ReadOnly		nametree	function
N Required		nofpages	function
N RichText		null	function
N Sort		number	function
N file		obj	function
N fixed		objectcompresslevel	function
N nocheck		pagereference	function
N protected		patternstream	function
N readonly		pdfcolor	function
N required		pdftimestamp	function
N sorted		permitdetail	function
N unavailable		print	function
flushobject	function	procset	function
flushstreamfileobject	function	protectresources	boolean
flushstreamobject	function	rectangle	function
formats	data table	reference	function
frombytes	function	registerannotation	function
fromeight	function	registerdestination	function
frompdfdoc	function	registerdocumentfinalizer	function
fromsixteen	function	registerfont	function
getcatalog	function	registerpagefinalizer	function

registerpattern	function	shareobjectreference	function
reserveobject	function	spotcode	function
rgbcode	function	stream	function
rotationcm	function	string	function
setcompression	function	toeight	function
setdates	function	topdfdoc	function
setmapfile	function	tosixteen	function
setmapline	function	transparency	function
setomitcharset	function	transparencycode	function
setomitcidset	function	transparencygroups	table
setsuppressoptionalinfo	function	B none	
settime	function	transparencyvalue	function
settrailerid	function	unicode	function
setversion	function	verbose	function
shareobject	function		

lpeg (basic lua)

B	function	firstofsplit	function
C	function	frontstripper	function
Carg	function	instringchecker	function
Cb	function	is_lpeg	function
Cc	function	keeper	function
Cf	function	locale	function
Cg	function	match	function
Cmt	function	oneof	function
Cp	function	patterns	data table
Cs	function	pcode	function
Ct	function	print	function
P	function	ptree	function
R	function	replacer	function
S	function	secondofsplit	function
UP	function	setmaxstack	function
UR	function	setutfcasers	function
US	function	split	function
V	function	splitat	function
afterprefix	function	splitter	function
anywhere	function	stripper	function
append	function	times	function
balancer	function	tsplitat	function
beforesuffix	function	tsplitter	function
checkedsplit	function	type	function
containsws	function	utfchartabletopattern	function
counter	function	utfreplacer	function
endstripper	function	version	function
finder	function		

lua (basic tex)

bytecode	table	F required
bytedata	data table	F reset
bytedone	table	F resolvestring
collectgarbage	function	F resolving
delay	function	F showdefinitions
finalize	function	
firstbytecode	number	
flush	function	
flushdelayed	function	
get_functions_table	function	
getbytecode	function	
getcalllevel	function	
getluaname	function	
getstacktop	function	
lastbytecode	number	
macros	table	
B enabled		
F loaded		
		mask string
		messages data table
		name table
		newtable function
		numbers data table
		registercode function
		registercodes function
		registerfinalizer function
		registername function
		setbytecode function
		setluaname function
		startupfile string
		version string

luatex (context)

cleanuptempfiles	function	F pause	
currentfile	function	F popline	
registerdumpactions	function	F pushline	
registerpageactions	function	F registerdisabler	
registerstartactions	function	F registerenabler	
registerstopactions	function	F resetfilename	
registertempfile	function	F resume	
starttime	number	F setfilename	
synctex	table	F setup	
F blockfilename		F start	
F collect		F stop	
F disable		F wrapup	
F enable		wrapup	function
F finish			

lxml (context)

addindex	function	flush	function
all	function	flushlinewise	function
applyfunction	function	flushsetups	function
applyselectors	function	flushspacewise	function
att	function	get_id	function
attribute	function	getid	function
badinclusions	function	getindex	function
chainattribute	function	id	function
checkindex	function	idsplitter	userdata
collected	function	include	function
command	function	inclusion	function
concat	function	inclusions	function
concatrange	function	index	function
content	function	inlineverbatimim	function
context	function	installsetup	function
convert	function	last	function
count	function	lastatt	function
delete	function	lastmatch	function
direct	function	lastpar	function
directives	table	load	function
F after		loadbuffer	function
F before		loaddata	function
F handle		loaded	table
F load		main	function
F setup		match	function
displayverbatimim	function	name	function
doif	function	namespace	function
doifelse	function	nonspace	function
doifelseempty	function	par	function
doifelsestext	function	param	function
doifempty	function	parameter	function
doifnot	function	path	function
doifnotempty	function	popmatch	function
doifnotstext	function	pos	function
doifstext	function	position	function
element	function	pure	function
elements	function	pushmatch	function
entities	data table	raw	function
filter	function	rawroot	function
filterlist	function	rawtex	function
first	function	refatt	function

register	function	F compare	
registerentity	function	F flush	
removesetup	function	F reset	
replace	function	F show	
resetcdata	function	F sort	
resetsetups	function	splitid	function
resolvedentity	function	startraw	function
root	function	startunescaped	function
save	function	stopraw	function
serialize	function	stopunescaped	function
setaction	function	store	function
setatt	function	strip	function
setattribute	function	stripped	function
setcdata	function	tag	function
setcommandtonone	function	text	function
setcommandtotext	function	tobuffer	function
setpar	function	tofile	function
setparam	function	toparameters	function
setparameter	function	toverbatim	function
setsetup	function	verbatim	function
snippet	function	withindex	function
sorters	table	xmltexhandler	data table

F add

math (basic lua)

abs	function	maxinteger	number
acos	function	min	function
asin	function	mininteger	number
atan	function	mod	function
atan2	function	modf	function
ceil	function	odd	function
ceiling	function	pi	number
cos	function	pow	function
cosd	function	rad	function
cosh	function	random	overloaded function
deg	function	randomseed	function
div	function	round	function
even	function	setrandomseedi	function
exp	function	sin	function
floor	function	sind	function
fmod	function	sinh	function
frexp	function	sqrt	function
huge	number	tan	function
initialseed	number	tand	function
ldexp	function	tanh	function
log	function	tointeger	function
log10	function	type	function
max	function	ult	function

mathematics (context)

addfallbacks	function	mapremap	data table
alphabets	data table	overloaddimensions	function
alternatives	data table	overloadparameters	function
big	function	privatebase	number
boldmap	data table	registerdomain	function
categories	table	registerfallbackid	function
D functions		remapalphabets	function
charactersets	data table	renderings	table
checkaccentbaseheight	function	D mappings	
checkprivateparameters	function	D numbers	
classes	data table	D sets	
codes	data table	renderset	function
define	function	resetattributes	function
dimensions	function	resetitalics	function
domains	table	resolvefallbacks	function
extensiblecode	function	scaleparameters	function
extensibles	data table	setdomain	function
extrabase	number	setitalics	function
extras	table	setridofprime	function
F add		sets	data table
F copy		styles	data table
fallbacks	table	syncboth	function
F apply		syncname	function
F install		syncstyle	function
fallbackstyleattr	function	toname	function
families	data table	tostyle	function
finishfallbacks	function	tweakaftercopyingfont	function
gaps	data table	tweakbeforecopyingfont	function
getboth	function	tweaks	table
getdomain	function	utfmathaccent	function
getitalics	function	utfmathclass	function
getridofprime	function	utfmathcommand	function
getstyle	function	utfmathfiller	function
horizontalcode	function	utfmathstretch	function
initializeparameters	function	virtualize	function
makefont	function	virtualized	data table

md5 (extra lua)

HEX function
crypt function
dec function
decrypt function
exor function

hex function
sum function
sumHEXA overloaded function
sumhexa overloaded function

metapost (context)

checkformat	function	graphic	function
cm	function	graphic_base_pass	function
collapse	boolean	installplugin	function
colorinitializer	function	isobject	function
comment	function	lastlog	string
convert	function	load	function
defaultformat	string	maketext	function
defaultinstance	string	metafun	table
defaultmethod	string	F interpolate	
directrun	function	F topath	
escaped	function	mptopdf	table
exectime	table	F convertmpstopdf	
extensiondata	data table	N nofconverted	
filterclippath	function	n	number
flush	function	nofscriptruns	function
flushers	table	nvformat	function
T pdf		pdfliterals	function
F comment		pluginactions	function
F flushfigure		popformat	function
F startfigure		popscriptrunner	function
F stopfigure		popvariable	function
F textfigure		popvariables	function
flushliteral	function	preparetexttsdata	function
flushnormalpath	function	process	function
flushreset	function	processplugins	function
fonts	table	processspecial	function
F define		properties	table
T flusher		pushformat	function
F flushfigure		pushscriptrunner	function
F startfigure		pushvariable	function
F stopfigure		pushvariables	function
N instances		quickanddirty	function
F process		reducetogray	boolean
format_number	function	reporterror	function
format_string	function	reset	function
formatnumber	function	resetlastlog	function
getclippath	function	resetplugins	function
getextensions	function	run	function
getjobdata	function	runscript	function
getstatistics	function	scripterror	function
gettext	function	setextensions	function

setoutercolor	function	F reset	
settext	function	F set	
setvariable	function	F setfrombuffer	
showlog	boolean	texerrors	boolean
simple	function	texexp	function
splitprescript	function	theclippath	function
startgraphic	function	tographic	function
stopgraphic	function	totable	function
svformat	function	unload	function
sxsy	function	untagvariable	function
tex	table	variables	table
F get			

mime (extra lua)

b64 function

decode function

decodet table

F base64

F quoted-printable

dot function

encode function

encodet table

F base64

F quoted-printable

eol function

normalize function

qp function

qpwrp function

report function

stuff function

unb64 function

unqp function

wrap function

wrapt table

F base64

F default

F quoted-printable

F text

wrp function

mp (context)

BackSpace	function	OuterMarginWidth	function
BaselineSkip	function	OverlayDepth	function
BodyFontSize	function	OverlayHeight	function
BottomDistance	function	OverlayLineWidth	function
BottomHeight	function	OverlayOffset	function
BottomSpace	function	OverlayRegion	function
CurrentColumn	function	OverlayWidth	function
CurrentHeight	function	PageDepth	function
CurrentWidth	function	PageFraction	function
CutSpace	function	PageNumber	function
EmWidth	function	PageOffset	function
ExHeight	function	PaperBleed	function
FooterDistance	function	PaperHeight	function
FooterHeight	function	PaperWidth	function
HSize	function	PrintPaperHeight	function
HeaderDistance	function	PrintPaperWidth	function
HeaderHeight	function	RealPageNumber	function
InPageBody	function	RightEdgeDistance	function
InnerEdgeDistance	function	RightEdgeWidth	function
InnerEdgeWidth	function	RightMarginDistance	function
InnerMarginDistance	function	RightMarginWidth	function
InnerMarginWidth	function	SpineWidth	function
LastPageNumber	function	StrutDepth	function
LayoutColumnDistance	function	StrutHeight	function
LayoutColumnWidth	function	SubPageNumber	function
LayoutColumns	function	TextHeight	function
LeftEdgeDistance	function	TextWidth	function
LeftEdgeWidth	function	TopDistance	function
LeftMarginDistance	function	TopHeight	function
LeftMarginWidth	function	TopSkip	function
LineHeight	function	TopSpace	function
MakeupHeight	function	VSize	function
MakeupWidth	function	_f_	function
NOfColumns	function	_get_count_	function
NOfPages	function	_get_dimen_	function
NOfSubPages	function	_get_macro_	function
OnOddPage	function	_get_toks_	function
OnRightPage	function	_set_count_	function
OuterEdgeDistance	function	_set_dimen_	function
OuterEdgeWidth	function	_set_macro_	function
OuterMarginDistance	function	_set_toks_	function

aux	table	inhash	function
F boolean		integer	function
F flush		isarray	function
F fprint		isobject	function
F integer		mf_blob_add	function
F number		mf_blob_dimensions	function
F numeric		mf_blob_index	function
F pair		mf_blob_new	function
F pairpoints		mf_blob_raw_content	function
F path		mf_blob_raw_dimensions	function
F pathpoints		mf_blob_raw_reset	function
F points		mf_blob_raw_toutf	function
F print		mf_blob_raw_wipe	function
F quadruple		mf_blob_size	function
F quadruplepoints		mf_blob_width	function
F quoted		mf_default_color_model	function
F size		mf_external_figure	function
F string		mf_finish_saving_data	function
F triplet		mf_formatted_text	function
F tripletpoints		mf_get_outline_text	function
F vprint		mf_graphic_text	function
boolean	function	mf_inject_blob	function
cleaned	function	mf_made_text	function
dataset	function	mf_named_color	function
datasets	function	mf_outline_text	function
F load		mf_path_left	function
dimension	function	mf_path_length	function
disposehash	function	mf_path_point	function
flush	function	mf_path_reset	function
format	function	mf_path_right	function
formatted	function	mf_save_data	function
fprint	function	mf_some_text	function
fromhash	function	mf_start_saving_data	function
get	table	mf_stop_saving_data	function
F boolean		mf_tb_dimensions	function
F number		mf_tt_dimensions	function
F numeric		mf_tt_initialize	function
F path		mode	function
F string		n	function
getcount	function	newhash	function
getdimen	function	number	function
getmacro	function	numeric	function
gettoks	function	pair	function
graphformat	function	pairpoints	function

path	function	quadruple	function
pathleft	function	quadruplepoints	function
pathlength	function	quoted	function
pathpoint	function	report	function
pathpoints	function	set	table
pathreset	function	F path	
pathright	function	setcount	function
points	function	setdimen	function
positionanchor	function	setmacro	function
positionbox	function	settoks	function
positioncurve	function	size	function
positionpage	function	string	function
positionpath	function	systemmode	function
positionpxy	function	texstr	function
positionregion	function	textextanchor	function
positionwhd	function	texvar	function
positionxy	function	tohash	function
prefix	function	triplet	function
print	function	tripletpoints	function
processingmode	function	vprint	function

mplib (extra tex)

char_depth	function	get_boolean	function
char_height	function	get_number	function
char_width	function	get_numeric	function
execute	function	get_path	function
fields	function	get_string	function
finder	function	new	overloaded function
finders	table	pen_info	function
F file		solve_path	function
F mpstemplate		statistics	function
finish	function	version	function

noads (context)

handlers

F align
F alternates
F autofences
F classes
F collapse
F domains
F families
F fixscripts
F italics
F kernpairs
F makeup
F relocate
F render

table

F resize
F showtree
F tags
F unscript
F unstack
F variants

process function

processnested function

processors table

F mlist_to_hlist

T unscript

T unstack

processouter function

node (basic tex)

check_discretionaries function
check_discretionary function
copy function
copy_list function
count function
current_attr function
dimensions function
direct table

F check_discretionaries
F check_discretionary
F copy
F copy_list
F count
F current_attr
F dimensions
F effective_glue
F end_of_math
F find_attribute
F first_glyph
F flatten_discretionaries
F flush_list
F flush_node
F flush_properties_table
F free
F get_attribute
F get_properties_table
F get_synctex_fields
F getattributelist
F getboth
F getbox
F getchar
F getcomponents
F getdata
F getdepth
F getdir
F getdirection
F getdisc
F getexpansion
F getfam
F getfield
F getfont

F getglue
F getheight
F getid
F getkern
F getlang
F getleader
F getlist
F getnext
F getnucleus
F getoffsets
F getpenalty
F getprev
F getproperty
F getshift
F getsub
F getsubtype
F getsup
F getwhd
F getwidth
F has_attribute
F has_field
F has_glyph
F hpack
F hyphenating
F insert_after
F insert_before
F is_char
F is_direct
F is_glyph
F is_node
F is_zero_glue
F kerning
F last_node
F length
F ligaturing
F new
F prepend_prevdepth
F protect_glyph
F protect_glyphs
F protrusion_skippable
F rangedimensions

F remove	F traverse_char	
F set_attribute	F traverse_glyph	
F set_properties_mode	F traverse_id	
F set_synctex_fields	F traverse_list	
F setattributelist	F unprotect_glyph	
F setboth	F unprotect_glyphs	
F setbox	F unset_attribute	
F setchar	F usedlist	
F setcomponents	F uses_font	
F setdata	F vpack	
F setdepth	F write	
F setdir	effective_glue	function
F setdirection	end_of_math	function
F setdisc	family_font	function
F setexpansion	fields	function
F setfam	find_attribute	function
F setfield	first_glyph	function
F setfont	fix_node_lists	function
F setglue	flatten_discretionaries	function
F setheight	flush_list	function
F setkern	flush_node	function
F setlang	flush_properties_table	function
F setleader	free	function
F setlink	get_attribute	function
F setlist	get_properties_table	function
F setnext	getboth	function
F setnucleus	getchar	function
F setoffsets	getdisc	function
F setpenalty	getfield	function
F setprev	getfont	function
F setproperty	getglue	function
F setshift	getid	function
F setsplit	getleader	function
F setsub	getlist	function
F setsubtype	getnext	function
F setsup	getprev	function
F setwhd	getproperty	function
F setwidth	getsubtype	function
F slide	getwhd	function
F tail	has_attribute	function
F todirect	has_field	function
F tonode	has_glyph	function
F toString	hpack	function
F traverse	hyphenating	function

id	function	setfield	function
insert_after	function	setglue	function
insert_before	function	setProperty	function
is_char	function	slide	function
is_glyph	function	subtype	function
is_node	function	subtypes	function
is_zero_glue	function	tail	function
kerning	function	tostring	function
last_node	function	traverse	function
length	function	traverse_char	function
ligaturing	function	traverse_glyph	function
make_extensible	function	traverse_id	function
mlist_to_hlist	function	traverse_list	function
new	function	type	function
next	function	types	function
prepend_prevdepth	function	unprotect_glyph	function
prev	function	unprotect_glyphs	function
protect_glyph	function	unset_attribute	function
protect_glyphs	function	usedlist	function
protrusion_skippable	function	uses_font	function
rangedimensions	function	values	function
remove	function	vpack	function
set_attribute	function	whatsits	function
set_properties_mode	function	write	function

nodes (context)

accentcodes	data table	effective_glue	function
aligned	function	end_of_math	function
append	function	fencecodes	data table
apply	function	fields	function
applyvisuals	function	fillcodes	data table
astable	function	find_attribute	function
basepoints	function	first_glyph	function
boundarycodes	data table	firstcharacter	function
boxes	table	firstcharinbox	function
F dimensions		firstdirinbox	function
F direct		firstglyph	function
F found		flatten_discretionaries	function
F reset		flush	function
F restore		flush_list	function
F save		flush_node	function
builders	table	free	function
F buildpage_filter		fullhpack	function
F vpack_filter		getattr	function
check_discretionaries	function	getattribute	function
codes	data table	getboth	function
concat	function	getbox	function
copy	function	getchar	function
copy_list	function	getfield	function
copy_node	function	getfont	function
count	function	getglue	function
countall	function	getid	function
current_attr	function	getleader	function
delete	function	getlist	function
destinations	table	getnext	function
N attribute		getprev	function
T done		getsubtype	function
F handler		gluecodes	data table
T stack		gluevalues	data table
dimensionfields	data table	glyphcodes	data table
dimensions	function	handlers	table
dircodes	data table	F accessibility	
directioncodes	data table	F backgrounds	
directionvalues	data table	F backgroundspage	
dirvalues	data table	F backgroundsvbox	
disccodes	data table	F characters	
discretionarycodes	data table	F checkforleaks	

F checkglyphs		is_display_math	function
F checkparcounter		is_node	function
F cleanupbox		is_nut	function
F cleanuppage		is_zero_glue	function
F export		kerncodes	data table
F finalizebox		kerning	function
F flatten		keys	table
F flattenline		T whatsit	
F migrate		last_node	function
F protectglyphs		leadercodes	data table
F stripping		leftmarginwidth	function
F textbackgrounds		length	function
F unprotectglyphs		ligaturing	function
has_attribute	function	linefillers	table
has_field	function	D data	
has_glyph	function	F define	
hpack	function	F enable	
hyphenating	function	F filler	
idsandsubtypes	function	F handler	
idstostring	function	lines	table
ignorablefields	data table	T boxed	
injections	table	F register	
F copy		F setup	
F getligaindex		F stage_one	
F getthreshold		F stage_two	
F handler		D data	
F installgetspaceboth		F finalize	
F installnewkern		F number	
F isspace		N scratchbox	
F keepcounts		link	function
F reset		linked	function
F resetcounts		list	function
F setcursive		listablefields	data table
F setkern		listcodes	data table
F setligaindex		listtoutf	function
F setmark		literalvalues	data table
F setmove		load	function
F setposition		locate	function
F setspacekerns		margincodes	data table
insert_after	function	marginkerncodes	data table
insert_before	function	markers	table
insert_list_after	function	F get	
installattributehandler	function	mathcodes	data table
is_direct	function	maxboxwidth	function

mlist_to_hlist	function	F free
new	function	F fullhpack
noadcodes	data table	F get_synctex_fields
noadoptoptions	table	F getattr
N axis		F getattribute
N exact		F getattributelist
N left		F getattrlist
N middle		F getboth
N no_axis		F getbox
N right		F getboxglue
N set		F getchar
N unused_1		F getcomponents
N unused_2		F getdata
nodecodes	data table	F getdepth
nopts	function	F getdir
nuts	table	F getdirection
F append		F getdisc
F apply		F getdiscretionary
F applyvisuals		F getexpansion
F check_discretionaries		F getfam
F concat		F getfield
F copy		F getfont
F copy_list		F getglue
F copy_no_components		F getheight
F copy_node		F getid
F copy_only_glyphs		F getkern
F copy_properties		F getlang
F copyvisual		F getlanguage
F count		F getleader
F countall		F getlist
F current_attr		F getnext
F delete		F getnucleus
F dimensions		F getoffsets
F effective_glue		F getorientation
F end_of_math		F getpenalty
F find_attribute		F getprev
F first_glyph		F getprop
F firstcharacter		F getshift
F firstcharinbox		F getsub
F firstglyph		F getsubtype
F flatten_discretionaries		F getsup
F flush		F getsurround
F flush_list		F getvalue
F flush_node		F getwhd

F getwidth	F fraction
F has_attribute	F glue
F has_field	F gluespec
F has_glyph	F glyph
F hpack	F hlist
F hyphenating	F italickern
F insert_after	F kern
F insert_before	F latelua
F insert_list_after	F leader
F is_char	F leftmarginkern
F is_direct	F leftskip
F is_display_math	F lineskip
F is_glyph	F literal
F is_node	F mathchar
F is_nut	F mathtextchar
F is_zero_glue	F negatedglue
F ischar	F noad
F isdone	F originliteral
F isglyph	F outlinerule
F kerning	F pageliteral
F last_node	F penalty
F leftmarginwidth	F radical
F length	F rawliteral
F ligaturing	F register
F link	F restore
F linked	F rightmarginkern
F locate	F rightskip
F mlist_to_hlist	F rule
F nestedtracedslide	F save
F new	F savepos
T pool	F setmatrix
F accent	F shrink
F baselineskip	F stretch
F boundary	F subbox
F choice	F sublist
F cleanup	F temp
F delim	F textdir
F delimiter	F usage
F direction	T userids
F directliteral	N margins.inline
F disc	N splitters.one
F emptyrule	N splitters.two
F fence	F usernode
F fontkern	F userrule

F vlist	F setfield
F wordboundary	F setfont
F prepend	F setglue
F processranges	F setheight
F processwords	F setkern
F protect_glyph	F setlang
F protect_glyphs	F setlanguage
F protrusion_skippable	F setleader
F rangedimensions	F setlink
F rawprop	F setlist
F reference	F setnext
F rehpack	F setnucleus
F remove	F setoffsets
F repackhlist	F setorientation
F replace	F setpenalty
F rightmarginwidth	F setprev
T rules	F setprop
T ruleactions	F setshift
F box	F setsplit
F draw	F setsub
F fill	F setsubtype
F mp	F setsup
F stroke	F setsurround
F userrule	F setunsetattributes
F set_attribute	F setvalue
F set_synctex_fields	F setvisual
F setattr	F setvisuals
F setattribute	F setwhd
F setattributelist	F setwidth
F setattributes	F slide
F setattrlist	F somepenalty
F setboth	F somespace
F setbox	F splitbox
F setboxglue	F striprange
F setchar	F tail
F setcomponents	F takeattr
F setdata	F takebox
F setdepth	F takelist
F setdir	F theprop
F setdirection	F tonode
F setdisc	F tonodes
F setdiscretionary	F tonut
F setexpansion	F tosequence
F setfam	F tostring

F tracedslide		T namespace	
F traverse		N attribute	
F traverse_char		D data	
F traverse_glyph		F enable	
F traverse_id		F handler	
F traverse_list		F register	
T traversers		D registered	
F boundary		D values	
F char		F processor	
F dir		points	function
F disc		pool	table
F glue		F baselineskip	
F glyph		F cleanup	
F hlist		F directliteral	
F list		F glyph	
F next		F hlist	
F node		F latelua	
F vlist		F lineskip	
F whatsit		F literal	
T typesetters		F originliteral	
F tohbox		F register	
F tohpack		F restore	
F tonodes		F save	
F tovbox		F savepos	
F tovpack		F setmatrix	
F unprotect_glyph		F special	
F unprotect_glyphs		F usage	
F unset_attribute		F vlist	
F unsetattribute		prepend	function
F unsetattributes		print	function
F untracedslide		processors	table
F use_components		F contribute_filter	
F usedlist		B enabled	
F uses_font		F hpack_filter	
F vianodes		F post_linebreak_filter	
F vianuts		F pre_linebreak_filter	
F vpack		F tracer	
F write		properties	table
packlist	function	T data	
penaltycodes	data table	protect_glyph	function
plugindata	table	protect_glyphs	function
F finalizer		protrusion_skippable	function
F initializer		pts	function
S name		radicalcodes	data table

rangedimensions	function	F handler	
reference	function	show	function
references	table	showboxes	function
N attribute		showcodes	function
T done		showlist	function
F handler		showsimplelist	function
T stack		skipcodes	data table
reheap	function	skipvalues	data table
remove	function	slide	function
repackhlist	function	snapshots	table
replace	function	F getparameters	
report	function	F getsamples	
rightmarginwidth	function	F resetsamples	
rulecodes	data table	F takesample	
rules	table	somepenalty	function
D data		somespace	function
F define		splitbox	function
F enable		stripdiscretionaries	function
F handler		stripping	table
F userrule		T glyphs	
save	function	F set	
serialize	function	subtypes	data table
serializebox	function	tail	function
set_attribute	function	takeattr	function
setattr	function	takebox	function
setattribute	function	tasks	table
setattributes	function	F actions	
setboth	function	F appendaction	
setbox	function	F disableaction	
setboxtonaturalwd	function	F disablegroup	
setchar	function	F enableaction	
setfield	function	F enablegroup	
setfont	function	F freeze	
setglue	function	F freezegroup	
setleader	function	F new	
setlink	function	F prependaction	
setlist	function	F removeaction	
setnext	function	F replaceaction	
setprev	function	F restart	
setunsetattributes	function	F setaction	
shifts	table	F showactions	
D data		F table	
F define		tobasepoints	function
F enable		tocentimeters	function

tociceros	function	F codes	
todidots	function	F features	
todimen	function	F font	
toinches	function	F glyphs	
tomillimeters	function	F message	
tonewciceros	function	F messages	
tonewdidots	function	F nofsteps	
tonode	function	F register	
tonodes	function	F reset	
tonut	function	F start	
topicsas	function	F stop	
topoints	function	F stop	
toscaledpoints	function	T transparencies	
tosequence	function	F reset	
tostring	function	F set	
totable	function	F setlist	
totree	function	traverse	function
toutf	function	traverse_char	function
tracers	table	traverse_glyph	function
T characters		traverse_id	function
F collect		traverse_list	function
F equal		traversers	table
F start		F char	
F string		F glyph	
F unicodes		F list	
T colors		F node	
F reset		typesetters	table
F set		F hbox	
F setlist		F hpack	
F fontchar		F tohbox	
T frequencies		F tohpack	
F register		F tonodes	
T pool		F tovbox	
T nodes		F tovpack	
F rule		F vpack	
T nuts		unprotect_glyph	function
F rule		unprotect_glyphs	function
F resetproperties		unset_attribute	function
F rule		unsetattribute	function
F setlist		unsetattributes	function
F setproperties		usedlist	function
F start		usercodes	data table
T steppers		uses_font	function
F check		vianodes	function

vianuts
visualizebox
visualizers

F attribute
T attributes
F box
F handler
F markfonts
F register

function
function
table

F setfont
F setlayer
F setruledglyph
F setvisual

vpack
whatcodes
whatsitcodes
write

function
data table
data table
function

number (context)

	function		
basepoints	function	tobitstring	function
bytetodecimal	function	tocentimeters	function
compactfloat	function	tociceros	function
decimaltobyte	function	tocontext	function
dimenfactors	data table	todidots	function
formatted	function	todimen	function
formattedfloat	function	toevenhex	function
idiv	function	toinches	function
maxdimen	number	tomillimeters	function
nopts	function	tonewciceros	function
percent	function	tonewdidots	function
points	function	tonumberf	function
pts	function	tonumberg	function
signed	function	topicsas	function
sparseexponent	function	topoints	function
splitdimen	function	toscaled	function
to16dot16	function	toscaledpoints	function
tobasepoints	function	valid	function

objects (context)

data	table	page	function
dimensions	function	reference	function
found	function	register	function
n	number	restore	function

os (basic lua)

__getenv__	function	remove	overloaded function
__setenv__	function	rename	overloaded function
binsuffix	string	resolvers	table
binsuffixes	table	F bits	
clock	function	resultof	function
converttime	function	runtime	function
date	function	selfdir	string
difftime	function	setenv	overloaded function
env	data table	setexitcode	function
exec	overloaded function	setlocale	overloaded function
execute	overloaded function	sleep	function
exit	overloaded function	spawn	overloaded function
fulltime	function	time	function
getenv	overloaded function	timezone	function
gettimeofday	function	tmpdir	function
isleapyear	function	tmpname	function
launch	function	today	function
libsuffix	string	type	string
localtime	function	uname	function
name	string	uuid	function
newline	string	validdatetime	function
nofdays	function	weekday	function
now	function	where	function
pipeto	function	which	function
platform	string		

package (basic lua)

config	string	luapaths	function
cpath	string	path	string
extralibpath	function	poplibpath	function
extralibpaths	function	popluapath	function
extralupath	function	preload	table
extralupaths	function	pushlibpath	function
helpers	table	pushluapath	function
libpaths	function	searchers	table
loaded	table	searchpath	function
loaders	table	seeall	function
loadlib	function		

pagebuilders (context)

columnsets table

F add
F block
F check
F currentcolumn
F define
F finishflush
F flushareas
F flushcolumn
F flushrest
F goto
F noto
F prepareflush
F put
F registerarea
F reset
F setarea

F sethsize
F sethspace
F setlines
F setproperties
F setstart
F setvsize

injections table

F flushafter
F flushbefore
F save

mixedcolumns table

F cleanup
F finalize
F getlist
F getrest
F getsplit
F setsplit

pdf (basic tex)

fontname	function	getthreadmargin	function
fontobjnum	function	gettrailer	function
fontsize	function	gettrailerid	function
getcatalog	function	getvpos	function
getcompresslevel	function	getxformattributes	function
getcreationdate	function	getxformmargin	function
getdecimaldigits	function	getxformname	function
getdestmargin	function	getxformresources	function
getfontname	function	hasmatrix	function
getfontobjnum	function	immediateobj	function
getfontsize	function	includechar	function
getgentounicode	function	includefont	function
gethpos	function	includeimage	function
getignoreunknownimages	function	mapfile	function
getimageresolution	function	mapline	function
getinclusionerrorlevel	function	maxobjnum	function
getinfo	function	newcolorstack	function
getlastannot	function	obj	function
getlastlink	function	objtype	function
getlastobj	function	pageref	function
getlinkmargin	function	print	function
getmajorversion	function	refobj	function
getmatrix	function	registerannot	function
getmaxobjnum	function	reserveobj	function
getminorversion	function	setcatalog	function
getnames	function	setcompresslevel	function
getnofobjects	function	setdecimaldigits	function
getobjcompresslevel	function	setdestmargin	function
getobjtype	function	setfontattributes	function
getomitcharset	function	setforcefile	function
getomitcidset	function	setgentounicode	function
getorigin	function	setignoreunknownimages	function
getpageattributes	function	setimageresolution	function
getpageref	function	setinclusionerrorlevel	function
getpageresources	function	setinfo	function
getpagesattributes	function	setlinkmargin	function
getpkresolution	function	setmajorversion	function
getpos	function	setminorversion	function
getrecompress	function	setnames	function
getretval	function	setobjcompresslevel	function
getsuppressoptionalinfo	function	setomitcharset	function

setomitcidset	function	settrailer	function
setorigin	function	settrailerid	function
setpageattributes	function	settypeonewidemode	function
setpageresources	function	setxformattributes	function
setpagesattributes	function	setxformmargin	function
setpkresolution	function	setxformresources	function
setrecompress	function	xformname	function
setsuppressoptionalinfo	function		
setthreadmargin	function		

pdfe (context)

arraytotable	function	getnofpages	function
close	function	getnumber	function
closestream	function	getpage	function
dictionarytotable	function	getpages	function
encryptioncodes	data table	getsize	function
getarray	function	getstatus	function
getboolean	function	getstream	function
getbox	function	getstring	function
getcatalag	function	gettrailer	function
getdictionary	function	getversion	function
getfromarray	function	new	function
getfromdictionary	function	objectcodes	data table
getfromreference	function	open	function
getfromstream	function	openstream	function
getinfo	function	pagestotable	function
getinteger	function	readfromstream	function
getmemoryusage	function	readwholestream	function
getname	function	type	function
getnofobjects	function	unencrypt	function

pdfscanner (context)

scan function

physics (context)

units table

D tables

F registerunit

publications (context)

addtentry	function	converttoxml	function
analyze	function	currentspecification	table
anywhere	function	S author	
authorcache	data table	T categories	
authorcollapsers	data table	T article	
authorhashers	table	S category	
F invertedshort		T extra	
F normal		T fields	
F normalinverted		S author	
F normalshort		S editor	
F sequential		S journal	
F sequentialshort		S keywords	
F short		S note	
authormap	data table	S number	
authortoregister	function	S pages	
casters	table	S title	
F author		S volume	
F keyword		S year	
F pagenumber		T optional	
F range		T required	
checkeddataset	function	T sets	
citevariants	table	T author	
F author		T virtual	
F authornum		T book	
F authoryear		S category	
F authoryears		T extra	
F category		T fields	
F default		S address	
F entry		S author	
F index		S edition	
F keywords		S editor	
F num		S keywords	
F page		S note	
F short		S number	
F tag		S publisher	
F textnum		S subtitle	
F year		S title	
collected	data table	S volume	
components	table	S year	
F author		T optional	
concatstate	function	T required	

T sets	S pages	
T author	S volume	
T editionset	S version	
T virtual	D virtual	
T demo-a	T virtualfields	
S category	B authornum	
T extra	B authoryear	
T fields	B authoryears	
S author	B num	
S institution	B suffix	
S organization	datasets	table
S subtitle	detailed	table
S title	endnotes_to_btx	function
S year	enhancer	table
T optional	S arguments	
T required	T askip	
T sets	B dirty	
T author	T gskip	
T virtual	T kind	
T demo-b	T list	
S category	T system	
T extra	T order	
T fields	N steps	
S author	enhancers	table
S institution	F details	
S organization	F order	
S subtitle	F suffixes	
S title	finder	function
S year	firstofrange	function
T optional	found	function
T required	get	function
T sets	getcasted	function
T authors	getdetail	function
T virtual	getdirect	function
S comment	getfaster	function
S copyright	getfield	function
T fields	getfuzzy	function
S name	getindex	function
T types	inspectors	data table
S author	journals	table
S editor	F abbreviated	
S keywords	F add	
S number	F expanded	
S page	F load	

F save		F lua	
lastofrange	function	F refman	
lists	table	F registercleaner	
F collectentries		F xml	
F combiinlist		loadreplacementfile	function
F fetchentries		new	function
F filterall		okay	function
F flushcombi		oneorange	function
F flushentry		parenttag	function
F flushtag		permitted	function
T methods		prerollcmdstring	function
F dataset		refman_to_btx	function
F force		resolvedname	function
F global		save	function
F local		savers	table
F nofregistered		F bib	
F prepareentries		F lua	
F register		F xml	
F sameasprevious		search	function
T sorters		setcategory	function
F cite		setspecification	function
F dataset		singularorplural	function
F default		sortedentries	function
F index		sortmethods	table
F list		T authoryear	
F reference		T sequence	
F short		specifications	table
F used		T default	
F uservariable		S author	
listvariants	table	S comment	
F default		S copyright	
F index		S name	
F num		S version	
F short		D virtual	
F tag		splitauthor	function
load	function	splitoneauthor	function
loadbibdata	function	statistics	table
loaddefinitionfile	function	N nofbytes	
loaders	table	N nofdatasets	
F bbl		N nofdefinitions	
F bib		N nofshortcuts	
F buffer		tables	table
F endnote		D implicits	
F json		D origins	

D privates

D sets

D specials

D types

D virtuals

tags

function

tracers

table

F showdatasetauthors

F showdatasetcompleteness

F showdatasetfields

F showentry

F showfields

F showhashedauthors

F showtables

F showvariants

typesetters

table

F author

F string

usedataset

function

usedentries

function

writers

table

F author

F keyword

F pagenumber

F range

regimes (context)

backmapping	data table
cleanup	function
disable	function
enable	function
fromregime	function
list	function

mapping	data table
pop	function
process	function
push	function
toregime	function
translate	function

resolvers (context)

allprefixes	function	findpath	function
appendhash	function	findpk	function
automount	function	findtexfile	function
automounted	table	findwildcardfile	function
booleanvariable	function	findwildcardfiles	function
cacheversion	string	formatofsuffix	function
checkedvariable	function	formatofvariable	function
cleanedpathlist	function	formats	data table
cleanpath	function	foundintree	function
cleanpathlist	function	foundintrees	function
concatinators	data table	generators	data table
configbanner	string	get_from_content	function
configurationfiles	function	getenv	function
criticalvars	data table	getextrapaths	function
dangerous	data table	getfilehashes	function
datastate	function	gethashes	function
defaultsuffixes	table	getownpath	function
dowithfilesandreport	function	getreadfilename	function
dowithfilesintree	function	hashers	data table
dowithpath	function	homedir	string
dowithvariable	function	initialized	function
env	function	inputstack	table
executers	table	installinputfilehandler	function
expandbraces	function	installinputlinehandler	function
expandedpathfromlist	function	jobpath	function
expandedpathlist	function	jobs	table
expandedpathlistfromvariable	function	F currentcomponent	
expandpath	function	F currentenvironment	
expandpathfromvariable	function	F currentproduct	
expansion	function	F currentproject	
extendtexmfvariable	function	F justacomponent	
filtered_from_content	function	D processors	
find_file	function	F productcomponent	
find_files	function	F usefile	
findbinfile	function	joinpath	function
findctxfile	function	knownvariables	function
finders	data table	load	function
findfile	function	loadbinfile	function
findfiles	function	loaders	data table
findgivenfile	function	loadlua lib	function
findgivenfiles	function	loadtexfile	function

loadtime	function	resolve	function
locateformat	function	savers	data table
locators	data table	scandata	function
luacnffallback	string	scanfiles	function
luacnfname	string	schemes	table
luacnfspec	string	T cleaners	
luacnfstate	string	F md5	
macros	table	F none	
F convertfile		F strip	
F decodecomment		F cleanname	
F enablecomment		F fetchstring	
F encodecomment		F fetchtable	
F preprocessed		F install	
F processmk		setdynamic	function
F processmkvi		setenv	function
F version		setmemstream	function
maxreadlevel	number	showpath	function
methodhandler	function	simplescanfiles	function
openbinfile	function	splitconfigurationpath	function
openers	data table	splitexpansions	function
openfile	function	splitmethod	function
opentexfile	function	splitpath	function
ownpath	string	stackpath	function
popextrapath	function	starttiming	function
poppath	function	stoptiming	function
prefixes	data table	suffixes	data table
prependhash	function	suffixmap	data table
pushextrapath	function	suffixofformat	function
pushpath	function	texdatablob	function
registerextrapath	function	toppath	function
registerfile	function	unexpandedpath	function
registerfilehash	function	unexpandedpathlist	function
registerintrees	function	unresolve	function
registermethod	function	updaterelations	function
registerzipfile	function	updatescript	function
relations	data table	uselibrary	function
renew	function	usertypes	data table
renewcache	function	usezipfile	function
repath	function	validatedpath	function
reset	function	variable	function
resetextrapaths	function	variableofformat	function
resetmemstream	function	variableofformatorsuffix	function
resetresolve	function	wildcardpattern	function

sandbox (context)

disablelibraries	function
disablerunners	function
enable	function
filehandlerone	function
filehandlertwo	function
finalizer	function
getrunner	function
initializer	function
iohandler	function
logcalls	function
logfiles	function
original	function
overload	function

possiblepath	function
redefine	function
register	function
registerbinary	function
registerlibrary	function
registerroot	function
registerrunner	function
report	function
setfilenamelogger	function
setlogger	function
setreporter	function
settrace	function
validfilename	function

scripts (context)

autofontfeature	table	hash	table
F disable		injectors	data table
F enable		inserters	table
F handler		F nobreakspace_after	
categorytonumber	data table	F nobreakspace_before	
colors	data table	F space_after	
decomposehangul	function	F space_before	
defaults	table	F zerowidthspace_after	
N inter_char_half_shrink_factor		F zerowidthspace_before	
N inter_char_half_stretch_factor		installdataset	function
N inter_char_hangul_penalty		installmethod	function
N inter_char_quarter_shrink_factor		numbertocategory	data table
N inter_char_quarter_stretch_factor		numbertodataset	data table
N inter_char_shrink_factor		numbertohandler	data table
N inter_char_stretch_factor		reset	function
N inter_word_stretch_factor		set	function
handlers	data table	splitters	data table

set (context)

contains function
create function
tolist function

tonumber function
totable function

sha2 (context)

HASH256 function
HASH384 function
HASH512 function
digest256 function
digest384 function

digest512 function
hash256 function
hash384 function
hash512 function

sio (context)

read2dot14 function
readbytes function
readbytetable function
readcardinal1 function
readcardinal2 function
readcardinal3 function
readcardinal4 function
readcardinaltable function

readfixed2 function
readfixed4 function
readinteger1 function
readinteger2 function
readinteger3 function
readinteger4 function
readintegertable function

socket (extra lua)

BLOCKSIZE	number	S content-location
_DATAGRAMSIZE	number	S content-md5
_DEBUG	boolean	S content-range
_SETSIZE	number	S content-transfer-encoding
_SOCKETINVALID	number	S content-type
bind	function	S cookie
choose	function	S date
connect	function	S diagnostic-code
connect4	function	S dsn-gateway
connect6	function	S etag
dns	table	S expect
F getaddrinfo		S expires
F gethostname		S final-log-id
F getnameinfo		S final-recipient
F tohostname		S from
F toip		S host
gettime	function	S if-match
headers	table	S if-modified-since
T canonic		S if-none-match
S accept		S if-range
S accept-charset		S if-unmodified-since
S accept-encoding		S in-reply-to
S accept-language		S keywords
S accept-ranges		S last-attempt-date
S action		S last-modified
S age		S location
S allow		S max-forwards
S alternate-recipient		S message-id
S arrival-date		S mime-version
S authorization		S original-envelope-id
S bcc		S original-recipient
S cache-control		S pragma
S cc		S proxy-authenticate
S comments		S proxy-authorization
S connection		S range
S content-description		S received
S content-disposition		S received-from-mta
S content-encoding		S references
S content-id		S referer
S content-language		S remote-mta
S content-length		S reply-to

S reporting-mta
 S resent-bcc
 S resent-cc
 S resent-date
 S resent-from
 S resent-message-id
 S resent-reply-to
 S resent-sender
 S resent-to
 S retry-after
 S return-path
 S sender
 S server
 S smtp-remote-recipient
 S status
 S subject
 S te
 S to
 S trailer
 S transfer-encoding
 S upgrade
 S user-agent
 S vary
 S via
 S warning
 S will-retry-until
 S www-authenticate
 S x-mailer
 F lower
 F normalize
http table
 N TIMEOUT
 S USERAGENT
 F genericform
 F open
 F request

newtry function
protect function
report function
select function
sink function
sinkt table
 F close-when-done
 F default
 F http-chunked
 F keep-open
skip function
sleep function
source function
sourcet table
 F by-length
 F default
 F http-chunked
 F until-closed
tcp function
tcp4 function
tcp6 function
tp table
 N TIMEOUT
 F connect
try function
udp function
udp4 function
udp6 function
url table
 F absolute
 F build
 F build_path
 F escape
 F parse
 F parse_path
 F unescape

sorters (context)

basicsorter function

comparers table

F basic

constants table

S defaultdigits

S defaultlanguage

S defaultmethod

N digitsmaximum

N digitsoffset

N ignoredoffset

N replacementoffset

T validmethods

B ch

B mc

B mm

B pc

B pm

B uc

B zc

B zm

definitions data table

firstofsplit function

packch function

packuc function

replacementlist function

setlanguage function

sort function

splitters table

F utf

strip function

tracers data table

update function

statistics (context)

callbacks	function	register	function
checkfmtstatus	function	resettiming	function
currenttime	function	runtime	function
elapsed	function	savefmtstatus	function
elapsedindeed	function	show	function
elapsedseconds	function	starttiming	function
elapsedtime	function	stoptiming	function
enable	boolean	threshold	number
formatruntime	function	timed	function
hastiming	function	tracefunction	function
memused	function		

status (basic tex)

list function
resetmessages function

setexitcode function

storage (context)

allocate	function	noftables	number
data	table	register	function
mark	function	shared	data table
marked	function	storedfunctions	data table
max	number	strip	boolean
min	number	tofmodules	number
nofmodules	number	toftables	number

streams (context)

collect function
disable function
enable function
flush function
initialize function

push function
start function
stop function
synchronize function

string (basic lua)

autodouble	function	quote	function
autosingle	function	quoted	function
booleanstring	function	rep	function
byte	function	replacenewlines	function
bytepairs	function	reverse	function
bytes	function	split	function
bytetable	function	splitlines	function
char	function	splitup	function
characterpairs	function	strip	function
characters	function	sub	function
checkedsplit	function	tformat	function
collapsespaces	function	toHEX	function
containsws	function	toboolean	function
count	function	tobytes	function
dump	function	tocontext	function
escapedpattern	function	todec	function
explode	function	todimen	function
find	function	tohex	function
format	function	tonodes	function
formatter	function	topattern	function
formatters	function	totable	function
fullstrip	function	toutf	function
gmatch	function	tracedchar	function
gsub	function	tracedchars	table
is_boolean	function	unpack	function
is_empty	function	unquote	function
itself	function	unquoted	function
len	function	upper	function
limit	function	utfcharacter	function
longtostring	function	utfcharacters	function
lower	function	utflength	function
match	function	utfpadd	function
nospaces	function	utfpadding	function
nspaces	table	utfvalue	function
optionalquoted	function	utfvalues	function
pack	function	valid	function
packsize	function		

structures (context)

allocation	function	F prev	
blocks	table	F previous	
D collected		F raw	
F define		F record	
F print		F reset	
F save		F restart	
F select		F restore	
F setstate		F save	
D states		F set	
D tobesaved		F setlevel	
F uservariable		F setoffset	
bookmarks	table	F setown	
T extras		F setstate	
F get		F setvalue	
F mergesections		T specials	
F register		F userpage	
F reset		F subs	
F tosections		D tobesaved	
F finalize		F value	
F flatten		F way	
F installhandler		currentsectionnumber	function
F merge		descriptions	table
S method		documents	table
F overload		D data	
F place		F initialize	
F register		F preset	
F setup		F reset	
counters	table	floats	table
F add		formulas	table
F analyze		helpers	table
F check		F analyze	
D collected		F formulanumber	
F compact		F merged	
F converted		F page	
F currentvalue		F pageofinternal	
D data		F prefix	
F define		F prefixlastpage	
F first		F prefixpage	
F get		F simplify	
F last		F title	
F next		F touserdata	

inserts

D data
 F define
 F getdata
 F getlocation
 F getname
 F getnumber
 F setlocation
 F setup
 D stored

table

itemgroups

table

lists

table

F addto
 F analyze
 B autoreorder
 D cached
 D collected
 F discard
 F enhance
 T enhancers
 F filter
 F formulainumber
 F getresult
 F groupindex
 F hasnumberdata
 F haspagedata
 F hastitledata
 F iscached
 D kinds
 F label
 F location
 D names
 F number
 D ordered
 F page
 F popnesting
 F prefix
 F prefixednumber
 F prefixedpage
 F process
 D pushed
 F pushnesting
 F realpage
 F reordered

T result
 F savedlistnumber
 F savedlistprefixednumber
 F savedlisttitle
 D sectionblocks
 F sectionnumber
 F size
 F title
 D tobosaved
 F userdata
 F uservalue

marks

table

D data
 F define
 F exists
 F fetch
 F fetchallmarks
 F fetched
 F fetchonemark
 F fetchtwomarks
 F get
 F number
 F relate
 F reset
 F set
 F show
 F synchronize
 F title
 T tracers
 F showtable

notes

table

F check_spacing
 F checkpagechange
 F define
 F doifonsamepageasprevious
 F get
 F getdeltapage
 F getinternal
 F getn
 F getstate
 F hascontent
 F internal
 F internalid
 F listindex

T numbers
F ordered
F postpone
F resetpostponed
F restore
F save
F setstate
D states
F store

pages table

F allmarked
F analyze
D collected
F in_body
F is_odd
F mark
F marked
N nopages
F number
F on_right
F save
D tobesaved
F toranges

references table

F analyze
F checkedfile
F checkedfileorurl
F checkedprogram
F checkedrealpage
F checkedurl
D collected
U componentsplitter
F currentmetadata
F currentorder
D currentset
F define
D defined
D derived
F enhance
D executers
F expandcurrent
F export
T files
T data

F define
F found
F get
F filter
F filterdefault
D filters
D flaginternals
F from
D functions
F get
F getcurrentmetadata
F getcurrentprefixspec
F getinnermethod
F getinternalcachedlistreference
F getinternallistreference
F getinternalreference
F getoutermethod
D handlers
F identify
F import
F inject
F injectcurrentset
S innermethod
D internals
F load
F loadpresets
F mark
S outermethod
D pages
U prefixsplitter
D productdata
T programs
T data
F define
F get
F realpageofpage
U referencesplitter
D referred
F referredpage
F registerfinalizer
F registerinitializer
F registerpage
F reset
D runners

- F set
- F setandgetattribute
- F setcomponent
- F setinternalreference
- F setlinkmethod
- F setnextinternal
- F setnextorder
- F setreferencerealpage
- D specials
- F splitcomponent
- F splitprefix
- F splitreference
- F synchronizepage
- T testrunners
 - F inner
 - F special
 - F special operation
 - F special operation with arguments

- T testspecials
 - F deltapage
 - F i
 - F internal
 - F page
 - F realpage
 - F section
 - F userpage

- D tobereferred
- D tobesaved
- D tracedpages

- T urls
 - T data
 - F define
 - F found
 - F get
 - F untex

- D usedinternals
- D usedviews
- F valid

registers

- F analyze
- D collected
- F compare
- F define
- F enhance

table

- F extend
- F filter
- F filtercollected
- F finalize
- F findinternal
- F flush
- F get
- F prepare
- F process
- F setmethod
- F sort
- F store
- D tobesaved
- F unique
- F userdata

sections

- F autodepth
- F cct
- D collected
- F current
- F currentblock
- F currentid
- F currentlevel
- F currentsectionindex
- F depthnumber
- F finddata
- F findnumber
- F fullnumber
- F getcurrentlevel
- F getlevel
- F getnumber
- F internalreference
- D levelmap
- D levels
- F matchingtilldepth
- F numberatdepth
- F numbers
- F popblock
- F prefixedconverted
- F pushblock
- F register
- D registered
- F reportstructure
- F save

table

T sectionblockdata
T bodypart
S bookmark
F set
F setblock
F setchecker
F setentry
F setinitialblock
F setlevel
F setnumber
F showstructure
F structuredata
F title
D tobesaved
F typesetnumber
F userdata
B verbose

sets table

F define
F get
F getall
D setlist

specials table

D collected
F retrieve
F store
D tobesaved

synonyms table

F analyzed
D collected
F compare
F define
F filter
F finalize
F flush
F isshown
F isused
F meaning
F prepare
F process
F register
F registershown
F registerused
F resetshown

F resetused
F sort
F synonym
D tobesaved

tags table

F current
F elementtag
F finishexport
F getextradata
F getid
F getmetadata
F handler
F initializeexport
D labels
F last
F lastinchain
F locatedtag
T patterns
U splitter
D properties
F registerextradata
F registermetadata
F restart
F setaspect
F setattributefield
F setcombination
F setconstruct
F setfigure
F setfloat
F setformulacontent
F sethighlight
F setitem
F setitemgroup
F setlist
F setnotation
F setnotationsymbol
F setproperty
F setpublication
F setregister
F setsorting
F setsynonym
F settablecell
F settabulatecell
F settagdelimitedsymbol

F settagsubsentencesymbol
F setupexport
F setuserproperties
D specifications
F start

F stop
F strip
D taglist
T usewithcare
T images

table (basic lua)

allkeys	function	pack	function
append	function	prepend	function
are_equal	function	print	function
collapsed	function	remove	function
collapsedhash	function	reverse	function
compact	function	reversed	function
concat	function	save	function
contains	function	sequenced	function
copy	function	serialize	function
count	function	setmetatablecall	function
derive	function	setmetatableindex	function
deserialize	function	setmetatableindices	function
drop	function	setmetatablekey	function
fastcopy	function	setmetatablenewindex	function
fastserialize	function	sort	function
filtered	function	sorted	function
flattened	function	sortedhash	function
fromhash	function	sortedhashkeys	function
getmetatablekey	function	sortedhashonly	function
getn	function	sortedindexonly	function
has_one_entry	function	sortedkeys	function
hashed	function	sortedpairs	function
identical	function	sparse	function
imerge	function	strip	function
merged	function	sub	function
insert	function	swapped	function
is_empty	function	tocontext	function
is_simple_table	function	tocsv	function
keys	function	tofile	function
load	function	tohandle	function
loweredkeys	function	tohash	function
makeweak	function	toxml	function
merge	function	twowaymapper	function
merged	function	unique	function
mirrored	function	unnest	function
move	function	unpack	function
ordered	function	values	function
orderedhash	function		

tex (basic tex)

attribute	table	getdimen	function
badness	function	getglue	function
box	table	getlccode	function
boxresources	table	getlist	function
F getbox		getlocallevel	function
F getdimensions		getmath	function
F save		getmathcode	function
F use		getmathcodes	function
catcode	table	getmuglue	function
conditionals	data table	getmuskip	function
constants	data table	getnest	function
count	table	getpagestate	function
cprint	function	getsfcode	function
ctdcatcodes	number	getskip	function
ctxcatcodes	number	gettoks	function
definefont	function	getuccode	function
delcode	table	glue	table
dimen	table	hashtokens	function
directives	data table	ifs	data table
enableprimitives	function	inimatcodes	number
error	function	init_rand	function
extraprimitives	function	isattribute	function
finish	function	isbox	function
fontidentifier	function	iscount	overloaded function
fontname	function	isdefined	function
force_synctex_line	function	isdimen	overloaded function
force_synctex_tag	function	isglue	function
forcehmode	function	ismuglue	function
fprint	function	ismuskip	overloaded function
get	function	isskip	overloaded function
get_synctex_line	function	istoken	function
get_synctex_mode	function	istoks	function
get_synctex_tag	function	lccode	table
getattribute	function	linebreak	function
getbox	function	lists	table
getboxresourcebox	function	lua_math_random	function
getboxresourcedimensions	function	lua_math_randomseed	function
getcatcode	function	luacatcodes	number
getcount	function	magicconstants	table
getdelcode	function	N maxdimen	
getdelcodes	function	N running	

<code>N trueinch</code>			
<code>mathcode</code>	table	<code>setmath</code>	function
<code>modes</code>	data table	<code>setmathcode</code>	function
<code>muglue</code>	table	<code>setmuglue</code>	function
<code>muskip</code>	table	<code>setmuskip</code>	function
<code>nest</code>	table	<code>setnest</code>	function
<code>nilcatcodes</code>	number	<code>setsfcode</code>	function
<code>normal_rand</code>	function	<code>setskip</code>	function
<code>notcatcodes</code>	number	<code>settoks</code>	function
<code>number</code>	function	<code>setuccode</code>	function
<code>primitives</code>	function	<code>sfcode</code>	table
<code>print</code>	function	<code>shipout</code>	function
<code>prtcatcodes</code>	number	<code>show_context</code>	function
<code>resetparagraph</code>	function	<code>skip</code>	table
<code>romannumeral</code>	function	<code>sp</code>	function
<code>round</code>	function	<code>splitbox</code>	function
<code>run</code>	function	<code>sprint</code>	function
<code>runtoks</code>	function	<code>systemmodes</code>	data table
<code>saveboxresource</code>	function	<code>takebox</code>	function
<code>scale</code>	function	<code>texcatcodes</code>	number
<code>scantoks</code>	function	<code>toks</code>	table
<code>set</code>	function	<code>tpacatcodes</code>	number
<code>set_synctex_line</code>	function	<code>tpbcatcodes</code>	number
<code>set_synctex_mode</code>	function	<code>tprint</code>	function
<code>set_synctex_no_files</code>	function	<code>trackers</code>	data table
<code>set_synctex_tag</code>	function	<code>triggerbuildpage</code>	function
<code>setattribute</code>	function	<code>txtcatcodes</code>	number
<code>setbox</code>	function	<code>type</code>	function
<code>setcatcode</code>	function	<code>uccode</code>	table
<code>setcount</code>	function	<code>uniform_rand</code>	function
<code>setdelcode</code>	function	<code>uniformdeviate</code>	function
<code>setdimen</code>	function	<code>uprint</code>	function
<code>setglue</code>	function	<code>useboxresource</code>	function
<code>setlcode</code>	function	<code>vrbcacodes</code>	number
<code>setlist</code>	function	<code>write</code>	function

texconfig (basic tex)

error_line	number	max_print_line	number
expand_depth	number	max_strings	number
formatname	string	nest_size	number
function_size	number	param_size	number
half_error_line	number	properties_size	number
hash_extra	number	save_size	number
init	overloaded function	shell_escape	string
kpse_init	boolean	stack_size	overloaded number
max_in_open	number		

texio (basic tex)

closeinput function
setescape function

write function
write_nl function

token (basic tex)

biggest_char	function	put_next	function
command_id	function	scan_argument	function
commands	function	scan_code	function
create	function	scan_csname	function
expand	function	scan_dimen	function
get_active	function	scan_float	function
get_cmdname	function	scan_glue	function
get_command	function	scan_int	function
get_csname	function	scan_keyword	function
get_expandable	function	scan_keyword_cs	function
get_id	function	scan_list	function
get_index	function	scan_real	function
get_macro	function	scan_string	function
get_meaning	function	scan_token	function
get_mode	function	scan_toks	function
get_next	function	scan_word	function
get_protected	function	set_char	function
get_tok	function	set_lua	function
is_defined	function	set_macro	function
is_token	function	type	function
new	function		

tokens (context)

astable	function	U loadfoundtypescriptfile
bgroup	userdata	U resetctxscanner
bits	table	U rlap
N active		U scratchcounter
N alignment		U scratchdimen
N begingroup		U scratchmuskip
N character		U scratchskip
N close		U scratchtoken
N comment		U secondoftwoarguments
N endgroup		U setfalsevalue
N endofline		U setsectionblock
N escape		U setupsystem
N ignore		U startcolumns
N invalid		U starttabulate
N letter		U starttitle
N mathshift		U startxtitle
N open		U stopcolumns
N other		U stoptabulate
N parameter		U stoptitle
N space		U stopxtitle
N subscript		U texsetup
N superscript		
N whitespace		
cache	table	collectors table
U NC		T data
U NR		F defaultwords
U bf		F dowithwords
U color		F flush
U colordefalc		F install
U colordefflc		F register
U colordefflt		T registered
U colordefrlt		F show
U dofinishreference		F test
U dostarttext		commands data table
U finishjob		compile function
U firstofoneargument		constant function
U firstoftwoarguments		converters table
U gobbleoneargument		S toboolean
U goto		S todimen
U iftrue		S toglue
U input		S tonumber
		S tostring
		create function

defined	function	F lxmId
egroup	userdata	F number
getters	table	F real
F box		F scanClose
F count		F scanopen
F dimen		F skip
F glue		F string
F macro		F table
F meaning		F token
F skip		F tokens
F token		F toks
hbox	userdata	F verbatim
isdefined	function	F word
istoken	function	setters table
letter	function	F box
letters	function	F char
new	function	F count
other	function	F dimen
pickup	function	F glue
presets	table	F lua
T 1 string		F macro
T 2 strings		F skip
T 3 strings		shortcuts table
T 4 strings		T bits
T 5 strings		N active
T 6 strings		N alignment
T 7 strings		N begingroup
T 8 strings		N character
printlist	function	N close
scanners	table	N comment
F argument		N endgroup
F boolean		N endofline
F code		N escape
F conditional		N ignore
F count		N invalid
F csname		N letter
F dimen		N mathshift
F dimension		N open
F float		N other
F glue		N parameter
F integer		N space
F keyword		N subscript
F keywordcs		N superscript
F list		N whitespace

N close	F scannumber
F inspect	F scanopen
N open	F scanstring
F report	F scantable
F scanargument	F scanverbatim
F scanboolean	F scanword
F scanclose	F tobolean
F scancode	F todimen
F scanconditional	T tokens
F scancsname	F astable
F scandimen	U bgroup
F scandimension	T cache
F scaninteger	U NC
F scankeyword	U NR
F scankeywordcs	U bf
F scanlist	U color
T scanners	U colordefalc
F argument	U colordefflc
F boolean	U colordefflt
F code	U colordefrlt
F conditional	U dofinishreference
F count	U dostarttext
F csname	U finishjob
F dimen	U firstofoneargument
F dimension	U firstoftwoarguments
F float	U gobbleoneargument
F glue	U goto
F integer	U iftrue
F keyword	U input
F keywordcs	U loadfoundtypescriptfile
F list	U resetctxscanner
F lxmlid	U rlap
F number	U scratchcounter
F real	U scratchdimen
F scanclose	U scratchmuskip
F scanopen	U scratchskip
F skip	U scratchtoken
F string	U secondoftwoarguments
F table	U setfalsevalue
F token	U setsectionblock
F tokens	U setupsystem
F toks	U startcolumns
F verbatim	U starttabulate
F word	U starttitle

U startxtitle	F printlist
U stopcolumns	T settings
U stoptabulate	F box
U stoptitle	F char
U stopxtitle	F count
U texsetup	F dimen
T collectors	F glue
F defaultwords	F lua
F dowithwords	F macro
F flush	F skip
F install	T shortcuts
F register	N close
F show	F inspect
F test	N open
D commands	F report
F compile	F scanargument
F constant	F scanboolean
T converters	F scanclose
S toboolean	F scancode
S todimen	F scanconditional
S toglue	F scancsname
S tonumber	F scandimen
S tostring	F scandimension
F create	F scaninteger
F defined	F scankeyword
U egroup	F scankeywordcs
T getters	F scanlist
F box	F scannumber
F count	F scanopen
F dimen	F scanstring
F glue	F scantable
F macro	F scanverbatim
F meaning	F scanword
F skip	F toboolean
F token	F todimen
U hbox	F tonumber
F isdefined	F tostring
F istoken	U vbox
F letter	U vtop
F letters	F tonumber
F new	F tostring
F other	vbox userdata
F pickup	vtop userdata
T presets	

tracers (context)

count	function
cs	function
dimen	function
knownlist	function
lists	table
T context	
T internals	
T scratch	
name	function

primitive	function
printerror	function
printwarning	function
showlines	function
strings	table
S undefined	
toks	function
type	function

trackers (context)

data	data table
default	function
disable	function
done	table
dumphashtofile	function
enable	function
list	function

name	string
register	function
report	function
reset	function
savehash	function
show	function
value	function

typesetters (context)

alignments table

F handler

F set

breakpoints table

F define

F handler

D mapping

T methods

T numbers

F set

F setreplacement

cases table

T actions

F handler

F register

F set

characteralign table

F handler

F resetcharacteralign

F setcharacteralign

characters table

F handler

T methods

F replacensp

F replacenspaces

checkers table

F handler

F reset

F set

cleaners table

F handler

F set

digits table

T actions

F handler

F set

directions table

F getfences

F getglobal

F getmethod

F handler

T handlers

F installhandler

F processmath

F set

F setcolor

F setmath

F tomode

firstlines table

T actions

F default

F line

F word

F handler

F set

fontkerns table

F handler

initials table

T actions

F default

F addanchortoline

F addtoline

F calculatedelta

F checkline

F handler

F moveinline

F normalize

F set

injectors table

F check

T list

F mark

F reset

F set

F show

italics table

F enablemath

F enabletext

F forcevariant

F handler

F reset

F set

kerns table

D factors
 F handler
 F keepligature
 D mapping
 F set

manipulators table

F apply
 F applyspecification
 T methods
 F Word
 F Words
 F abbreviatedjournal
 F expandedjournal
 F lowercase
 F stripperperiod
 F uppercase
 T patterns
 U list
 U pair
 F splitspecification

margins table

F finalhandler
 F globalhandler
 F localhandler
 F save

marksuspects function**paragraphs** table

F addanchortoline
 F addtoline
 F calculatedelta
 F checkline
 F handler
 F moveinline
 F normalize
 F set

periodkerns table

D factors
 F handler
 D mapping
 F set

processors table

F apply
 F register
 F reset
 F split
 F startapply
 F stopapply
 F stripped
 F tostring

rubies table

F attach
 F check

showsuspects function**spacings** table

F define
 F handler
 D mapping
 T numbers
 T frenchpunctuation
 T characters
 S name
 N number

F reset

F set

F setup

wrappers table

F handler

xtables table

F cleanup
 F construct
 F create
 F finish_row
 F flush
 F initialize_construct
 F initialize_reflow_height
 F initialize_reflow_width
 F next_row
 F reflow_height
 F reflow_width
 F set_construct
 F set_reflow_height
 F set_reflow_width

updaters (context)

apply function

register function

url (context)

addscheme function
barepath function
construct function
decode function
encode function
escape function
filename function

hashed function
hasscheme function
query function
split function
toquery function
unescape function
unescapeget function

utf8 (context)

char function
charpattern string
codepoint function

codes function
len function
offset function

utilities (context)

debugger table

F disable
F enable
F savestats
F showstats
F showtraceback

files table

F close
F getposition
F getsize
F look
F open
F read2dot14
F readbyte
F readbytes
F readbytetable
F readcardinal
F readcardinal1
F readcardinal2
F readcardinal2le
F readcardinal3
F readcardinal3le
F readcardinal4
F readcardinal4le
F readcardinaltable
F readchar
F readfixed2
F readfixed4
F readinteger
F readinteger1
F readinteger2
F readinteger2le
F readinteger3
F readinteger3le
F readinteger4
F readinteger4le
F readintegertable
F readsignedbyte
F readstring
F readtag
F setposition

F size
F skip
F skiplong
F skipposition
F skipshort
F writebyte
F writecardinal2
F writecardinal2le
F writecardinal4
F writecardinal4le
F writestring

formatters table

F formatcolumns
F list
F stripzeros

garbagecollector table

F check
N criterium
B enabled

lua table

B alwaysstripcode
F checkmemory
F compile
F loadedluacode
F loadstring
F loadstripped
N nofstrippedbytes
N nofstrippedchunks
F registerfinalizer
B stripcode
T strippedchunks
F strippedloadstring
T suffixes
S lua
S luc
S lui
S luj
S luv
S tma
S tmc
S tua

S `tuc`

packers `table`

- F `hashed`
- F `new`
- F `pack`
- F `simplehashed`
- F `strip`
- F `unpack`
- N `version`

parsers `table`

- F `add_settings_to_array`
- F `arguments_to_table`
- F `array_to_string`
- F `csvsplitter`
- F `getparameters`
- F `groupedsplitat`
- F `hash_to_string`
- T `hashes`
 - T `settings_to_set`
 - T `min,max,fit,broad,auto`
 - B `auto`
 - B `broad`
 - B `fit`
 - B `max`
 - B `min`
 - T `text,hidden,paper,page,leftpage,rightpage`
 - B `hidden`
 - B `leftpage`
 - B `page`
 - B `paper`
 - B `rightpage`
 - B `text`
- F `iterator`
- F `keq_to_hash`
- F `listitem`
- F `make_settings_to_hash_pattern`
- F `mergehashes`
- F `options_to_array`
- F `options_to_hash`
- T `patterns`
 - U `settings_to_array`
 - U `settings_to_hash_a`
 - U `settings_to_hash_b`
 - U `settings_to_hash_c`

- U `settings_to_hash_d`
- U `unittotex`
- F `process_stripped_settings`
- F `rfc4180splitter`
- F `runtime`
- F `settings_to_array`
- F `settings_to_array_obey_fences`
- F `settings_to_array_with_repeat`
- F `settings_to_hash`
- F `settings_to_hash_colon_too`
- F `settings_to_hash_strict`
- F `settings_to_hash_tolerant`
- F `settings_to_numbers`
- F `settings_to_set`
- F `simple_hash_to_string`
- F `splitmethod`
- F `splitthousands`
- F `stepper`
- F `stripped_settings_to_array`
- F `totime`
- F `unittotex`
- F `unittoxml`

randomizer `table`

- F `get`
- F `getnumber`
- F `getseed`
- F `popseed`
- F `pushseed`
- F `reuseseed`
- F `setseed`
- F `setseedi`

report `function`

sequencers `table`

- F `appendaction`
- F `appendgroup`
- F `compile`
- F `disableaction`
- F `disablegroup`
- F `enableaction`
- F `enablegroup`
- D `functions`
- F `localize`
- F `new`
- F `nodeprocessor`

F prependaction
 F prependgroup
 F removeaction
 F replaceaction
 F setkind
 F toString
setters table
 F disable
 F enable
 F initialize
 F list
 F new
 F register
 F report
 F reset
 F show
stacker table
 F new
storage table
 F allocate
 F checked
 F mark
 F marked
 F setinitializer
 F sparse
streams table
 F close
 F getposition
 F getstring
 F look
 F open
 F openstring
 F read2dot14
 F read2dot4
 F readbyte
 F readbytes
 F readbytetable
 F readcardinal
 F readcardinal1
 F readcardinal2
 F readcardinal2le
 F readcardinal3
 F readcardinal3le
 F readcardinal4

F readcardinal4le
 F readcardinaltable
 F readchar
 F readfixed2
 F readfixed4
 F readinteger
 F readinteger1
 F readinteger2
 F readinteger2le
 F readinteger3
 F readinteger3le
 F readinteger4
 F readinteger4le
 F readintegertable
 F readsignedbyte
 F readstring
 F setposition
 F size
 F skip
 F skipbytes
 F skiplong
 F skipshort
strings table
 F collapse
 F collapseCrLf
 T formatters
 F add
 F new
 F newcollector
 F newrepeater
 F nice
 T striplinepatterns
 U collapse
 U prune
 U prune and collapse
 U prune and no empty
 U prune and to space
 U retain
 U retain and collapse
 U retain and no empty
 F striplines
 F striplong
 F tabtospace
 T tracers

tables table

- F accesstable
- F definedtable
- F definetable
- F encapsulate
- F insertaftervalue
- F insertbeforevalue
- F migratetable

F removevalue

F replacevalue

templates table

F load

F replace

F replacer

F resolve

vf (context)

char function
down function
fontid function
image function
node function
nop function

pdf function
pop function
push function
right function
rule function
special function

visualizers (context)

escapepatterns	data table	signal	string
getspecification	function	signalpattern	userdata
getvisualizer	function	specifications	data table
load	function	visualize	function
makenested	function	visualizebuffer	function
makepattern	function	visualizefile	function
newgrammar	function	visualizestring	function
newhandler	function	write	function
parsedxml	function	writeargument	function
pattern	function	writedefault	function
register	function	writeemptyline	function
registerescapecommand	function	writenewline	function
registerescapepline	function	writespace	function
registerescapepattern	function		

xml (context)

addentitiesdoctype	function	F padding	
addspecialcode	function	F stylevalue	
after	function	F todimension	
all	function	defaulthandlers	table
applylpath	function	D file	
applyselector	function	D parsedxml	
assign	function	D string	
attribute	function	D tex	
badinclusions	function	D texline	
before	function	D texspace	
body	function	D verbose	
builtinentities	table	defaultprotocol	string
B amp		delete	function
B apos		delete_element	function
B gt		despecialized	function
B lt		each	function
B quot		each_element	function
CDATA	function	elements	function
CDATATOTEXT	function	elementtocdata	function
checkbom	function	empty	function
checkerror	function	entities	data table
checknamespace	function	erase	function
checkns	function	errorhandler	function
cleansed	function	escaped	function
collect	function	expressions	table
collect_elements	function	F boolean	
collect_tags	function	F child	
collect_texts	function	F contains	
collected	function	F count	
collecttexts	function	F error	
content	function	F find	
convert	function	F hasclass	
copy	function	F idstring	
count	function	F lower	
cprint	function	F name	
CSS	table	F number	
F applyselector		F oneof	
F colorspecification		F print	
F dimension		F quit	
F fontspecification		F tag	
F mappedstylevalue		F text	

F undefined		F chainattribute	
F upper		F count	
fillin	function	F default	
filter	function	F elements	
finalizers	table	F empty	
F paragraphs		F first	
T tex		F function	
F all		F index	
F attribute		F last	
F chainattribute		F lowerall	
F chainpath		F match	
F command		F name	
F concat		F position	
F concatrange		F reverse	
F context		F table	
F count		F tag	
F ctxtext		F tags	
F default		F text	
F first		F texts	
F function		F upperall	
F index		first	function
F last		found	function
F lettered		functions	table
F lower		F classes	
F lowerall		F hasclass	
F match		getbuffer	function
F name		gethandlers	function
F param		gethandlersfunction	function
F parameter		helpers	table
F position		F recursetext	
F reverse		include	function
F stripped		inclusion	function
F tag		inclusions	function
F tags		index	function
F text		inheritedconvert	function
F upper		inject	function
F upperall		inject_element	function
F xml		inject_element_after	function
T xml		inject_element_before	function
F all		injectafter	function
F att		injectbefore	function
F attribute		insert	function
F attributes		insert_element	function
F cdata		insert_element_after	function

insert_element_before	function	registerns	function
insertafter	function	reindex	function
insertbefore	function	remap_name	function
insertcdata	function	remap_namespace	function
insertcomment	function	remap_tag	function
inspect	function	remapname	function
is_valid	function	remapnamespace	function
kind	function	remaptag	function
last	function	rename	function
lastmatch	function	renamespace	function
load	function	reparsedentitylpeg	userdata
lpath	function	replace	function
lpathcached	function	replace_element	function
lpathcalls	function	resetinjectors	function
lshow	function	resolvens	function
makestandalone	function	root	function
match	function	save	function
name	function	selection	function
newhandlers	function	separate	function
nodesettostring	function	serialize	function
originalload	function	serializetotext	function
package	function	setcdata	function
parent	function	setcomment	function
parsedentitylpeg	userdata	sethandlersfunction	function
pihandlers	table	setinjectors	function
F injector		setProperty	function
F tex		settings	function
placeholders	table	specialcodes	table
F unknown_any_entity		S "	
F unknown_dec_entity		S #	
F unknown_hex_entity		S \$	
popmatch	function	S %	
position	function	S &	
privatecodes	table	S '	
privatetoken	function	S <	
process	function	S >	
process_attributes	function	S \	
process_elements	function	S {	
processattributes	function	S	
profiled	table	S }	
pure	function	S ~	
pushmatch	function	specialhandler	table
raw	function	sprint	function
registerentity	function	string	function

strip	function	toxml	function
strip_whitespace	function	tprint	function
stripelement	function	traverse	function
stripleadingspaces	function	unescaped	function
table	function	unescapedentitylpeg	userdata
text	function	unprivatized	function
textonly	function	unspecialized	function
texttocdata	function	withelement	function
tocdata	function	withelements	function
toelement	function	wrap	function
tostring	function	xmlns	table
totable	function		

zip (extra lua)

archives	table	openarchive	function
close	function	openfile	function
closearchive	function	registeredfiles	table
open	overloaded function	type	function

zlib (extra lua)

adler32 function
compress function
compressobj function
crc32 function

decompress function
decompressobj function
version function